

Index to volume 12

Author index

A

Abels DJ, Kattan-Byron J: Psoriasis treatment at the Dead Sea: A natural selective ultraviolet phototherapy, 639
Abi Ali L *see* Zaynoun et al, 522
Abramowicz A *see* Urbanski et al, 188
Achten G *see* Lowy et al, 78
Ackerman AB: No one should die of malignant melanoma, 115 (Editorial)
Adriaens P *see* Van Boven et al, 822
Afifi AK, Bergman RA, Zaynoun ST, Bahuth NB, Kraydieh M: Partial (localized) lipodystrophy, 198
Ahmed AR, Bevan HJ, Murahata RI: Clinical correlations of antibodies in pemphigus studied by radioimmunoassay, 45
Albom MJ: Reply to Mohs FE: Avoidance of osteomyelitis after Mohs' surgery, 727 (Correspondence)
Alexander JO'D: Papular urticaria and immune complexes, 374 (Correspondence)
—, Lyell A: Multiple keratoacanthomas, 376 (Correspondence)
Ali F, Bauer HM: Umbilical metastasis of an endometrial carcinoma: A case report, 887 (Correspondence)
Alinovi A, Reverberi C, Melissari M, Gabrielli M: Cutaneous hyperpigmentation induced by amiodarone hydrochloride, 563
— *see* Benoldi and Alinovi, 376 (Correspondence)
Alvarez OM *see* Leipziger et al, 409
Amornsiripanich S: Defective cytoplasmic transport of cell surface carbohydrates in psoriasis, 1111 (Correspondence)
Anderson PC: Reply to Tharp CK: The evolution controversy, 891 (Correspondence)
Anderson TF *see* Pentland and Anderson, 212
Aranoff SM, Levy HB, Tuchman AJ, Daras M: Alopecia in meralgia paresthetica, 176
Ariano L *see* Brown and Ariano, 350 (Dermatopathology)
Arndt KA *see* Fine and Arndt, 697 (Clinical review)
— *see* Menkes et al, 21
Aronson IK, West DP, Variakojis D, Malkinson FD, Wilson HD, Zeitz HJ: Fatal panniculitis, 535 (Clinical review)
Ashley JR, Little CM, Burgdorf WHC, Brann BS IV: Bronze baby syndrome, 325

B

Bäck O, Faergemann J, Hörnqvist R: *Pityrosporum folliculitis*: A common disease of the young and middle-aged, 56
Bagel J, Grossman ME: Hemorrhagic bullae associated with *Morganella morganii* septicemia, 575
Bahuth NB *see* Afifi et al, 198
Bank PW *see* Gorsulowsky et al, 245
Banse-Kupin L, Morales A, Barlow M: Reply to Fusaro RM: Lynch syndrome II and Lynch syndrome I, 130 (Correspondence)
Baral J: Cures for dermatophyte cultures, 728 (Correspondence)
Baran R *see* Kint et al, 816

January, part 1, pp. 1-160; January, part 2, pp. 161-214; February, part 1, pp. 215-392; February, part 2, pp. 393-440; March, pp. 441-596; April, pp. 597-752; May, part 1, pp. 753-910; May, part 2, pp. 911-964; June, pp. 965-1154.

Barlow M *see* Banse-Kupin et al, 130 (Correspondence)
Barksy S *see* Eisenberg et al, 328
Basford RE *see* Kaplan et al, 1013
Basler RSW, Goetz CS: Synergism of minocycline and amitriptyline in cutaneous hyperpigmentation, 577 (Correspondence)
Bauer HM *see* Ali and Bauer, 887 (Correspondence)
Behl PN: Dermatitis from cashew nuts, 117 (Correspondence)
—: Eradication of scabies with a single treatment schedule, 117 (Correspondence)
—: Repigmentation of segmental vitiligo by autologous minigrafting, 118 (Correspondence)
Behrens C *see* Grossman et al, 313
Benoldi D, Alinovi A: Reply to Alexander JO'D, Lyell A: Multiple keratoacanthomas, 376 (Correspondence)
Berger TG, Meltzer MS, Oster CN: Lymph node involvement in leishmaniasis, 993
Bergfeld JA *see* Lombardo et al, 580 (Correspondence)
Bergfeld WF *see* Lombardo et al, 580 (Correspondence)
— *see* Ranchhoff and Bergfeld, 586 (Correspondence)
Bergman RA *see* Afifi et al, 198
Berman U *see* Bickley et al, 1007
Berti E, Cavicchini S, Cusini M, Monti M, Parolini F, Caputo R: Heterogeneity of dermal OKT6+ cells in inflammatory and neoplastic skin diseases, 507
Beutner EH, Krasny SA, Chorzelski TP, Rodnan G, Jablonska S, Kumar V: Evaluation of methods for detection of anticentromere antibodies and other antinuclear antibodies, 289
Bevan HJ *see* Ahmed et al, 45
Bhawan J, Gellis S, Ucci A, Chang T-W: Reply to Pariser RJ: Cytomegalovirus infection in an immunosuppressed man, 721 (Correspondence)
Bickers DR, Epstein JH, Fitzpatrick TB, Harber LC, Pathak M, Urbach F: Risks and benefits from high-intensity ultraviolet A sources used for cosmetic purposes, 380 (Special report)
Bickley LK, Berman U, Hood AF: Fixed cutaneous sporotrichosis: Unusual histopathology following intralesional corticosteroid administration, 1007
Bigby M, Stern R: Cutaneous reactions to nonsteroidal anti-inflammatory drugs, 866 (Adverse reactions)
Biro L, Price E, Brand AJ: Skin cancer detection clinics, 375 (Correspondence)
Bissinger J *see* Grossman et al, 313
Bjørke S *see* Guy et al, 1001
Bohm M, Voorhees JJ: The role of the ambulatory psoriasis treatment center as a cost-effective program for severe psoriasis, 740 (Special report)
Bouroncle B *see* Camisa et al, 1108 (Correspondence)
Bovenmyer DA: Aggravation of dermatitis herpetiformis by dental fluoride treatments, 719 (Correspondence)
Boxall LBH *see* Haber et al, 836, 1040
Bozeman M *see* Reed et al, 930
Brand AJ *see* Biro et al, 375 (Correspondence)
Brann BS IV *see* Ashley et al, 325
Braunstein BL: Herpes simplex complicating topical 5-fluorouracil therapy, 1109 (Correspondence)

Bremer Schulte M, Cormane RH, van Dijk E, Wuite J: Group therapy of psoriasis, 61

Brenner S: "Pediculid": An unusual id reaction to pediculosis capitis, 125 (Correspondence)

Briggaman RA *see* Marks et al, 914

Bröcker E-B *see* Czarnetzki et al, 253

Brody N *see* Fleming and Brody, 894 (Correspondence)

Bronson DM *see* Eisenberg et al, 328

Brooks NA: Curettage and shave excision, 1107 (Correspondence)

Brown E, Ariano L: Histologic diagnosis of benign adnexal skin tumors, 350 (Dermatopathology)

Brownstein MH, Phelps RG, Magnin PH: Papillary adenoma of the nipple: Analysis of fifteen new cases, 707 (Dermatopathology)

—: Reply to Stevens CS: Follicular cysts: How should we name them? 368 (Correspondence)

Bruce S, Wolf JE Jr: Quinidine-induced photosensitive livedo reticularis-like eruption, 332

Buncke HJ Jr *see* Zackheim et al, 207

Burn PA Jr *see* Rosen et al, 531

Burgdorf WHC *see* Ashley et al, 325

Burke S *see* Reed et al, 930

Burket BJ *see* Burket and Burket, 161

Burket JM, Burket BJ: Eosinophilic panniculitis, 161

Burnham TK *see* Gorsulowsky et al, 245

Burton CS, Sawchuk WS: Premature sebaceous gland hyperplasia: Successful treatment with isotretinoin, 182

C

Callaway JL: Giants in dermatology, 144 (Special article)

—: Dermatomyositis and malignancy: Commentary on a recent report and the need for increased scrutiny of reports of disease associations, 731 (Correspondence)

—: Reply to Hollander A: Giants in dermatology, 1109 (Correspondence)

—: Systemic lupus erythematosus in patients with chronic cutaneous (discoid) lupus erythematosus, 278

— *see* Fowler et al, 73

Camisa C, Grever MR, Bouroncle B: Deoxycyformycin: A new chemotherapeutic agent of interest to dermatologists, 1108 (Correspondence)

Caplan RM: The *real* literature: A reading list for dermatologists, 901 (Special article)

Caputo R *see* Berti et al, 507

Carney JF *see* Hazen et al, 1077 (Adverse reactions)

Carter DM: Introduction: Biosynthetic dressings and wound healing, 393

Caulier B *see* Van Neste et al, 372 (Correspondence)

Cavicchini S *see* Berti et al, 507

Cestoni-Parducci R *see* Hernández-Pérez and Cestoni-Parducci, 15

Chalker DK *see* Lesher et al, 526

— *see* Leyden et al, 676

Chan P, Kao GF, Pierson DL, Rodman OG: Episodic hyperhidrosis on the dorsum of hands, 937

Chang T-W *see* Bhawan et al, 721 (Correspondence)

Chen D, Rofsky HE: Reply to Lipinski JT, Schwimmer B: Elevated CPK and isotretinoin, 583 (Correspondence)

Chernosky ME: Collagen implant in management of periorbital (angular cheilosis), 493

—: One-step procedure for earlobe surgical repair and ear post replacement, 721 (Correspondence)

Cho CK *see* Lee et al, 629

Chorzelski TP *see* Beutner et al, 289

Clendenning WE *see* Schwartz and Clendenning, 725 (Correspondence)

Cobbold RSC *see* Haberman et al, 132 (Special article)

Cohen-Addad N *see* Lin et al, 1022

Cole CA *see* Forbes et al, 894 (Correspondence)

Colton A *see* Spiegel and Colton, 810

Comerford M *see* Pestana et al, 26

Conerly SL *see* Smith and Conerly, 681 (Clinical review)

Connelly MG, Winkelmann RK: Coexistence of lichen sclerosus, morphaea, and lichen planus, 844

Cormane RH *see* Bremer Schulte et al, 61

Coskey RJ: Dermatologic therapy: December 1983 through November 1984, 1045 (Therapy)

Cotter PK *see* Fowler et al, 73

Cristofolini M, Piscioli F, Zumiani G, Scappini P: The role of etretinate (Tegison; Tigason) in the management of keratoacanthoma, 633

Crovato F, Rebora A: Angiokeratoma corporis diffusum and normal enzyme activities, 885 (Correspondence)

Cunningham RW Jr: A dossier on health care cost containment, 364 (Editorial)

Cusini M *see* Berti et al, 507

Czarecki DB *see* Rotstein et al, 121 (Correspondence)

Czarnetzki BM, Meentken J, Kolde G, Bröcker E-B: Morphology of the cellular infiltrate in delayed pressure urticaria, 253

D

Daenens P *see* Van Boven et al, 822

Daras M *see* Aranoff et al, 176

Davies BI *see* Wuite et al, 1026

Davies RE *see* Forbes et al, 894 (Correspondence)

De Bersaques J: Sign of Leser-Trélat, 724 (Correspondence)

DeCotiis A *see* Lin et al, 1022

Degreef H *see* Van Boven et al, 822

De Keyser H *see* Kim et al, 816

Demers LM *see* Lookingbill et al, 481

de Moragas JM *see* Puig et al, 961

— *see* Tuneu et al, 1072 (Adverse reactions)

Detlefs RL *see* Goettl and Detlefs, 922

De Villez RL *see* Spielvogel et al, 475

Dharan M *see* Israelewicz et al, 1104 (Correspondence)

DiBernardo B *see* Leipziger et al, 409

Dicken CH *see* Gibson and Dicken, 883 (Correspondence)

Diehl DL *see* Haberman et al, 132 (Special article)

Difley BL, Spiro JG, Hindson TC: Photosensitivity studies and isotretinoin therapy, 119 (Correspondence)

Din SN *see* Hira et al, 580 (Correspondence)

Dixon SL *see* Purcell and Dixon, 231

Dobson RL: Medicine and the marketplace, 1099 (Editorial)

Dolezal JF: Podophyllium resin and podophyllin, 728 (Correspondence)

Domingo P *see* Puig et al, 961

Dotz WI, Henrikson DM, Yu GSM, Galey CI: Tinea versicolor: A light and electron microscopic study of hyperpigmented skin, 37

Douglass MC *see* Mitchell and Douglass, 644

Dupont B *see* Myskowski et al, 997

Dupuis LL, Shear NH, Zuker RM: Hyperpigmentation due to topical application of silver sulfadiazine cream, 1112 (Correspondence)

Dzubow LM: Histologic and temperature alterations induced by skin refrigerants, 796

E

Eaglstein WH: Experiences with biosynthetic dressings, 434
— see Feldman et al, 366 (Correspondence)

— see Mertz et al, 662

Egan N see Lookingbill et al, 481

Eisenberg EL, Bronson DM, Barsky S: Benign cephalic histiocytosis, 328

Eisinger M: Regeneration of epidermis by cells grown in tissue culture, 402

Elias PM see Williams and Elias, 126 (Correspondence)

Ellis CN see Lesher et al, 526

— see Vanderveen and Ellis, 587 (Correspondence)

— see Wong and Ellis, 372 (Correspondence)

Ellis DL, Wheeland RG, Solomon H: Estrogen and progesterone receptors in congenital melanocytic nevi, 235

English J: Lichen aureus, 377 (Correspondence)

Engstrom CW see Hazen et al, 1077 (Adverse reactions)

Epstein JH see Bickers et al, 380 (Special report)

Esquenazi V see Pestana et al, 26

Esterly NB see Paller et al, 927

Evans SJ see Haberman et al, 132 (Special article)

Everett MA: Reply to Zackheim HS, Tur E, Guy RH: Regional blood flow and mycosis fungoidea, 580 (Correspondence)

F

Faergemann J see Bäck et al, 56

Falabella R: Reply to Behl PN: Repigmentation of segmental vitiligo by autologous minigrafting, 119 (Correspondence)

Falanga V, Kapoor W: Cerebral cysticercosis: Diagnostic value of subcutaneous nodules, 304

—, Marks JG Jr: Italian Society of Dermatology Annual Meeting, Rome, Italy, May 31-June 2, 1984, 121 (Correspondence)

Falk DK, Latour DL, King LE Jr: Dapsone in the treatment of erosive lichen planus, 567

Farber EM: Factors influencing psoriasis, 131 (Correspondence)

—, Nall L, Streffling A: Psoriasis: A disease of the total skin, 150 (Commentary)

Farmer ER see Hymes et al, 30, 468

Fears TR see Stern et al, 67

Feingold DS, Taplin D: Reply to Parish LC: P(h)thirus pubis and lindane resistance, 889 (Correspondence)

Feldman LR, Eaglstein WH, Johnson RB: Terminal illness, 366 (Correspondence)

Feuerman EJ see Ingber et al, 377 (Correspondence)

Fine J-D, Arndt KA: The TORCH syndrome: A clinical review, 697

Fisher AA: Response to Mackert JR Jr: Hypersensitivity to mercury from dental amalgams, 878 (Current issues)

Fithian EC see Grossman et al, 313

Fitzpatrick TB see Bickers et al, 380 (Special report)

Fleming MG, Brody N: Biologic effectiveness of black light fluorescent lamps for PUVA, 894 (Correspondence)

Forbes PD, Davies RE, Cole CA: Reply to Fleming MG, Brody N: Biologic effectiveness of black light fluorescent lamps for PUVA, 894 (Correspondence)

Fowler JF, Callen JP, Stelzer GT, Cotter PK: Human histocompatibility antigen associations in patients with chronic cutaneous lupus erythematosus, 73

Fox BJ, Odom RB: Papulosquamous diseases: A review, 597

Fracaro M see Grossman et al, 313

Fräki JE see Väistäinen et al, 52

Frankel DH, Mostofi RS, Lorincz AL: Oral Crohn's disease: Report of two cases in brothers with metallic dysgeusia and a review of the literature, 260

Fretzin DF, Whitney D: Familial Becker's nevus, 589 (Correspondence)

Friedman RJ see Kopf et al, 656

From L see Urbanski et al, 188

Fusaro RM: Lynch syndrome II and Lynch syndrome I, 129 (Correspondence)

G

Gabrielli M see Alinovi et al, 563

Galey CI see Dotz et al, 37

Gellis S see Bhawan et al, 721 (Correspondence)

Gibson LE, Dicken CH: Pemphigus erythematosus, primary biliary cirrhosis, and D-penicillamine; Report of a case, 883 (Correspondence)

Gibson M see Kvedar et al, 215

Girard C see Landry and Girard, 733

Glickman FS: Syphilis, 593 (Commentary)

Glushko V see Leipziger et al, 409

Go MJ see Wuie et al, 1026

Goette DK: Reply to Braunstein BL: Herpes simplex complicating topical 5-fluorouracil therapy, 1110 (Correspondence)

—, Detlefs RL: Postirradiation angiosarcoma, 922

Goetz CS see Basler and Goetz, 577 (Correspondence)

Goldberg AD see Gorsulowsky et al, 245

Goldberg NS, Robinson JK, Peterson C: Gigantic malignant melanoma in a thermal burn scar, 949

Golitz LE see Reed et al, 930

Gomez C see Pestana et al, 26

Gómez-Pineda A see Pozo-Román et al, 943

Gonzalez-Crussi F see Paller et al, 927

González-Herrada CM see Pozo-Román et al, 943

Goodman RS see Zackheim et al, 207

Gormley DE: Use of Burow's wedge principle for repair of wounds in or near the eyebrow, 344 (Dermatologic surgery)

Gorsulowsky DC, Bank PW, Goldberg AD, Lee TG, Heinzerling RH, Burnham TK: Antinuclear antibodies as indicators for the procainamide-induced systemic lupus erythematosus-like syndrome and its clinical presentations, 245

Graham JH see Lupton et al, 296

Grande DJ see Wagner et al, 441

Green KM, Heilman E: Secondary syphilis presenting as a palisading granuloma, 957

Greene SL, Reed CE, Schroeter AL: Double-blind crossover study comparing doxepin with diphenhydramine for the treatment of chronic urticaria, 669

Grever MR see Camisa et al, 1108 (Correspondence)

Grinspan D: Significant response of oral aphthosis to thalidomide treatment, 85

Grossman ME, Fithian EC, Behrens C, Bissinger J, Fracaro M, Neu HC: Primary cutaneous aspergillosis in six leukemic children, 313

— see Bagel and Grossman, 575

Gruber M: Reply to Dolezal JF: Podophyllum resin and podophyllin, 730 (Correspondence)
 Guerrera M *see* Rebora and Guerrera, 933
 Guenther LC *see* Leshner et al., 526
 Guin JD: Reply to Rosenberg EW: Action of eugenol, 724 (Correspondence)
 — *see* Skinner et al., 852
 Gustafson TL *see* Nelson et al., 985
 Guy RH, Tur E, Bjerke S, Maibach HI: Are there age and racial differences to methyl nicotinate-induced vasodilation in human skin? 1001
 — *see* Zackheim et al., 578 (Correspondence)

H

Haber RM, Hanna W, Ramsay CA, Boxall LBH: Cicatricial junctional epidermolysis bullosa, 836
 —, Ramsay CA, Boxall LBH: Epidermolysis bullosa simplex with keratoderma of the palms and soles, 1040
 Haberman HF, Norwich KH, Diehl DL, Evans SJ, Harvey B, Landau J, Cobbold RSC, O'Beirne HO, Zingg W: DIAG: A computer-assisted dermatologic diagnostic system—clinical experience and insight, 132 (Special article)
 Hahn CS *see* Lee et al., 629
 Halde C *see* Zackheim et al., 207
 Halprin KM *see* Pestana et al., 26
 Haneko E: Electron microscopy of Merkel cell carcinoma from formalin-fixed tissue, 487
 Hankin DE *see* Schachner and Hankin, 157 (Commentary)
 Hanna MJD *see* Rotstein et al., 121 (Correspondence)
 Hanna W *see* Haber et al., 836
 Hanno R *see* Rubin and Hanno, 896 (Correspondence)
 Hansen RC *see* Korc et al., 832
 — *see* Wiles and Hansen, 195
 Hansen TW *see* Nordlund et al., 359 (Periodic synopsis)
 Harada T *see* Shimizu et al., 165
 Harber LC *see* Bickers et al., 380 (Special report)
 Harper KE, Spielvogel RL: Nevus comedonicus of the palm and wrist, 185
 Harrington CI *see* Wright et al., 369 (Correspondence)
 Harvey B *see* Haberman et al., 132 (Special article)
 Hatch KL, Maibach HI: Textile dye dermatitis, 1079 (Clinical review)
 Hazen PG, Carney JF, Walker AE, Stewart JJ, Engstrom CW: Disseminated superficial actinic porokeratosis: Appearance associated with photochemotherapy for psoriasis, 1077 (Adverse reactions)
 Head ES: Reply to Baral J: Cures for dermatophyte cultures, 728 (Correspondence)
 Heffner LT *see* Moreland et al., 886 (Correspondence)
 Heilman E *see* Green and Heilman, 957
 Heinzerling RH *see* Gorsulowsky et al., 245
 Helfman RJ: Grover's disease treated with isotretinoin, 981
 Helwig EB *see* Lupton et al., 296
 — *see* Olsen and Helwig, 781
 Hendricks WM, Swallow RT: Management of stasis leg ulcers with Unna's boots versus elastic support stockings, 90
 Heng MCY: Reply to Alexander JO'D: Papular urticaria and immune complexes, 374 (Correspondence)
 Henrikson DM *see* Dotz et al., 37
 Hernández-Pérez E, Cestoni-Parducci R: Nodular hidradenoma and hidradenocarcinoma, 15

Hidano A: Acquired, bilateral nevus of Ota-like macules, 368 (Correspondence)
 Hindson TC *see* Diffey et al., 119 (Correspondence)
 Hira SK, Din SN, Patel JS: Econazole 1% in the treatment of pityriasis versicolor in Zambia, 580 (Correspondence)
 Hollander A: Carl Joseph Sebastian Herzog (1885-1980), 389 (Epitaph)
 —: Giants in dermatology, 1109 (Correspondence)
 Hollmen A *see* Viäääinen et al., 52
 Hood AF *see* Bickley et al., 1007
 Hori Y: Reply to Hidano A: Acquired, bilateral nevus of Ota-like macules, 369 (Correspondence)
 Hörmqvist R *see* Bäck et al., 56
 Horton R *see* Lookingbill et al., 481
 Huff JC *see* Reed et al., 930
 Hulsmans RFHJ *see* Rampen and Hulsmans, 371 (Correspondence)
 Hymes SR, Farmer ER, Lewis PG, Tutschka PJ, Santos GW: Cutaneous graft-versus-host reaction: Prognostic features seen by light microscopy, 468
 —, Morison WL, Farmer ER, Walters LL, Tutschka PJ, Santos GW: Methoxsalen and ultraviolet A radiation in treatment of chronic cutaneous graft-versus-host reaction, 30

I

Ingber A, Wiessman-Katzenelson V, Pullman H, Feuerman EJ: Leser-Trélat sign, 377 (Correspondence)
 Israelewicz S, Dharan M, Rosenman D, Steinfeld M, Zuckerman F: Papulonecrotic tuberculid of the glans penis, 1104 (Correspondence)

J

Jablonska S *see* Beutner et al., 289
 Jackson D *see* Wuite et al., 1026
 Jackson R: Reply to Richards RN: Clinical experience with 0.05% clobetasol propionate creams, 892 (Correspondence)
 James WD, Leyden JJ: Treatment of gram-negative folliculitis with isotretinoin: Positive clinical and microbiologic response, 319
 — *see* Slagel and James, 857 (Adverse reactions)
 Jansen GT: Reply to Kelly AP: Etiquette at the annual Academy meeting, 893 (Correspondence)
 Jegesothy BV *see* Sherrertz et al., 178
 Joaquin A *see* Urbanski et al., 188
 Johnson FB *see* Lupton et al., 296
 Johnson RB *see* Feldman et al., 366 (Correspondence)
 Jordan RE *see* Maddox et al., 952

K

Kahan BD *see* Maddox et al., 952
 Kahana M, Levy A, Schewach-Millet M, Stempler D: Appearance of lupus erythematosus in a patient with lichen sclerosus et atrophicus of the elbows, 127 (Correspondence)
 Kao GF *see* Chan et al., 937
 — *see* Lupton et al., 296
 Kaplan SS, Wechsler HL, Basford RE, Zdziarski UE, Kuhns DB: Increased plasma chemoattractant in Sweet's syndrome, 1013
 Kapoor W *see* Falanga and Kapoor, 304
 Kassis E *see* Kassis et al., 1106 (Correspondence)

Kassis V, Kassis E, Keiding L, Thomsen HK: Hypertrichosis lanuginosa acquisita associated with multiple malignancies, 1106 (Correspondence)

Kattan-Byron J *see* Abels et al, 639

Katz M, Pisanti S: Oral erosive lichen planus and chronic active hepatitis, 719 (Correspondence)

Kechijian P: Onycholysis of the fingernails: Evaluation and management, 552 (Clinical review)

Keiding L *see* Kassis et al, 1106 (Correspondence)

Kelly AP: Etiquette at the annual Academy meeting, 893 (Correspondence)

Kerman R *see* Maddox et al, 952

Kessinger A: High-dose chemotherapy with autologous marrow transplantation for malignant melanoma, 337 (Therapy)

Kim KY *see* Lee et al, 629

King DF: The Tzitzis smear technic for the diagnosis of varicella, 1111 (Correspondence)

King LE Jr *see* Falk et al, 567

King R *see* Van Boven et al, 822

Kint A, Baran R, De Keyser H: Acquired (digital) fibrokeratoma, 816

Klauda HC *see* Lesher et al, 526

Knox JM: Treatment of skin cancer, 589 (Correspondence)

Kolde G *see* Czarnetzki et al, 253

Kopf AW, Lindsay AC, Rogers GS, Friedman RJ, Rigel DS, Levenstein M: Relationship of nevocytic nevi to sun exposure in dysplastic nevus syndrome, 656

Korc A, Hansen RC, Lynch PJ: Acrokeratoelastoidosis of Costa in North America, 832

Korson R *see* Toback et al, 649

Krasny SA *see* Beutner et al, 289

Kraydieh M *see* Afifi et al, 198

Krey PR *see* Lin et al, 1022

Krull EA: Chronic cutaneous ulcerations and impaired healing in human skin, 394

Krusinski PA *see* Kvedar et al, 215

— *see* Toback et al, 649

Kuhns DB *see* Kaplan et al, 1013

Kumar V *see* Beutner et al, 289

Kurban A *see* Zaynoun et al, 522

Kvedar JC, Gibson M, Krusinski PA: Hirsutism: Evaluation and treatment, 215

Kwan TH, Smoller BR, Schneider DR: α_1 -Antitrypsin and lysozyme in fibrous papules and angiofibromas, 99 (Dermatopathology)

L

Lambers JC *see* Wuite et al, 1026

Lambert WC *see* Lin et al, 1022

Landau J *see* Haberman et al, 132 (Special article)

Landry M, Girard C: French Society of Dermatology Spring Meeting, Paris, France, March 8-10, 1984, 733

Lane AT, Rasmussen JE, Stein DH: Society for Pediatric Dermatology, Ninth Annual Meeting, Lake Tahoe, NV, June 27-July 1, 1984, 1115

Lange C-E *see* Niedecker and Lange, 828

Langlois JC, Shaw JM, Odland GF: Erythema gyratum repens unassociated with internal malignancy, 911

Larsen WG: Perfume dermatitis, 1

Latour DL *see* Falk et al, 567

Lázaro-Ochaita P *see* Pozo-Román et al, 943

Lazarus GS *see* Sherertz et al, 178

Ledoux-Corbusier M *see* Lowy et al, 78

Lee MG *see* Lee et al, 629

Lee S, Kim KY, Hahn CS, Lee MG, Cho CK: Gianotti-Crosti syndrome associated with hepatitis B surface antigen (subtype adr), 629

Lee TG *see* Gorsulowsky et al, 245

Leipziger LS, Glushko V, DiBernardo B, Shafaie F, Noble J, Nichols J, Alvarez OM: Dermal wound repair: Role of collagen matrix implants and synthetic polymer dressings, 409

Lesher JL Jr, Chalker DK, Smith JG Jr, Guenther LC, Ellis CN, Voorhees JJ, Shalita AR, Klauda HC: An evaluation of a 2% erythromycin ointment in the topical therapy of acne vulgaris, 526

Levenstein M *see* Kopf et al, 656

Levit F: Availability of canthaxanthin in the United States, 129 (Correspondence)

Levitin M *see* Leyden et al, 676

Levy A *see* Kahana et al, 127 (Correspondence)

Levy HB *see* Aranoff et al, 176

Lewis PG *see* Hymes et al, 468

Leyden JJ: Absorption of minocycline hydrochloride and tetracycline hydrochloride, 308

—, Smith JG Jr, Chalker DK, Rea TH, Tomecki KJ, Levitan M: Serologic survey for markers of hepatitis B infection in dermatologists, 676

— *see* James and Leyden, 319

Lin RY, Cohen-Addad N, Krey PR, Schwartz RA, DeCotis A, Lambert WC: Neonatal lupus erythematosus, multiple thromboses, and monoarthritis in a family with Ro antibody, 1022

Lindsay AC *see* Kopf et al, 656

Lipinski JT, Schwimmer B: Elevated CPK and isotretinoin, 581 (Correspondence)

Little CM *see* Ashley et al, 325

Llistosella E *see* Puig et al, 961

Lober CW: Reply to Richards RN: Clinical experience with 0.05% clobetasol propionate creams, 892 (Correspondence)

Logan W, Lynch P, Sams WM: Periodic synopsis on vasculitis, 716 (Periodic synopsis)

Lombardo JA, Bergfeld WF, Bergfeld JA: Strenuous exercise and elevated creatine phosphokinase in patient taking isotretinoin, 580 (Correspondence)

Lookingbill DP, Horton R, Demers LM, Egan N, Marks JG Jr, Santen RJ: Tissue production of androgens in women with acne, 481

Lorincz AL *see* Frankel et al, 260

Lowy M, Ledoux-Corbusier M, Achten G, Wybran J: Clinical and immunologic response to Isoprinosine in alopecia areata and alopecia universalis: Association with autoantibodies, 78

Luk SC *see* Urbanski et al, 188

Lupton CP, Kao GF, Johnson FB, Graham JH, Helwig EB: Cutaneous mercury granuloma, 296

Lyall I *see* Rotstein et al, 121 (Correspondence)

Lyell A *see* Alexander and Lyell, 376 (Correspondence)

Lynch P *see* Logan et al, 716 (Periodic synopsis)

Lynch PJ *see* Korc et al, 832

M

McBurney EI, Rosen DA: Reply to Lipinski JT, Schwimmer B: Elevated CPK and isotretinoin, 582 (Correspondence)

McDonald CJ: Cytotoxic agents for use in dermatology. I, 753
—: Use of cytotoxic drugs in dermatologic diseases. II, 965

Mackert JR Jr: Hypersensitivity to mercury from dental amalgams, 877 (Current issues)

McMillan EM: Monoclonal antibodies and cutaneous T cell lymphoma, 102 (Clinical review)

Maddox A-M, Kahan BD, Tucker S, Kerman R, Jordan RE: Regression in skin infiltrate of a patient with mycosis fungoïdes treated with cyclosporine, 952

Magnin PH *see* Brownstein et al, 707 (Dermatopathology)

Maibach HI *see* Guy et al, 1001
— *see* Hatch and Maibach, 1079 (Clinical review)

Malkinson FD *see* Aronson et al, 535 (Clinical review)

Marchasin S *see* Zackheim et al, 207

Marks JG Jr *see* Falanga and Marks, 121 (Correspondence)
— *see* Lookingbill et al, 481

Marks VJ, Briggaman RA, Wheeler CE Jr: Hyperpigmentation in megaloblastic anemia, 914

Marshall DA *see* Mertz et al, 662

Martin J *see* Miller et al, 888 (Correspondence)

Meentken J *see* Czarnetzki et al, 253

Melissari M *see* Alinovi et al, 563

Mellows G *see* Wuite et al, 1026

Meltzer MS *see* Berger et al, 993

Menárguez-Palanca FJ *see* Pozo-Román et al, 943

Menkes A, Stern RS, Arndt KA: Psoriasis treatment with suberythrogenic ultraviolet B radiation and a coal tar extract, 21

Mertz PM, Marshall DA, Eagleton WH: Occlusive wound dressings to prevent bacterial invasion and wound infection, 662

Miller RAW, Ross JB, Martin J: Multiple granulation tissue lesions occurring in isotretinoin treatment of acne vulgaris—successful response to topical corticosteroid therapy, 888 (Correspondence)

Mitchell AJ, Douglass MC: Topical photochemotherapy for alopecia areata, 644

Moberg S: Reply to Scher RK: Subungual scabies, 578 (Correspondence)

Mohs FE: Avoidance of osteomyelitis after Mohs' surgery, 726 (Correspondence)

Monk B: Lichen planus and the liver, 122 (Correspondence)

Monti M *see* Berti et al, 507

Mora RG: Metastatic squamous cell carcinoma of the skin occurring in a lymphomatous lymph node, 571

Morales A *see* Banse-Kupin et al, 130 (Correspondence)

Moreland AA, Robertson DB, Heffner LT: Treatment of cutaneous T cell lymphoma with cyclosporin A, 886 (Correspondence)

Moreno A *see* Puig et al, 961
— *see* Tuncu et al, 1072 (Adverse reactions)

Morison WL *see* Hymes et al, 30

Moses M, Prioleau PG: Cutaneous histologic findings in chemical workers with and without chloracne with past exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin, 497

Mostofi RS *see* Frankel et al, 260

Murahata RI *see* Ahmed et al, 45

Myskowski PL, Pollack MS, Schorr E, Dupont B, Safai B: Human leukocyte antigen associations in basal cell carcinoma, 997

N

Nall L *see* Farber et al, 150 (Commentary)

Nelson DA, Gustafson TL, Spielvogel RL: Clinical aspects of cutaneous leishmaniasis acquired in Texas, 985

Neu HC *see* Grossman et al, 313

Nichols J *see* Leipziger et al, 409

Niedecken HW, Lange C-E: Simplified fixative medium for direct immunofluorescence in skin biopsies, 828

Nishikawa T *see* Shimizu et al, 165

Noah PW *see* Skinner et al, 852

Noble J *see* Leipziger et al, 409

Nordlund JJ, Sober AJ, Hansen TW: Periodic synopsis on pigmentation, 359 (Periodic synopsis)

Nordstedt CK: Reply to Kelly AP: Etiquette at the annual Academy meeting, 894 (Correspondence)

Norwich KH *see* Haberman et al, 132 (Special article)

Novick NL: Angiokeratoma vulvae, 561

Nunzi E, Parodi A, Rebora A: Ofuji's disease: High circulating titers of IgG and IgM directed to basal cell cytoplasm, 268

O

O'Beirne H *see* Haberman et al, 132 (Special article)

O'Brien TJ *see* Rotstein et al, 121 (Correspondence)

Odlund GF *see* Langlois et al, 911

Odom RB *see* Fox and Odom, 597

O'Keefe EJ *see* Woodley et al, 420

Olsen TG, Helwig EB: Angiolymphoid hyperplasia with eosinophilia, 781

Oster CN *see* Berger et al, 993

P

Pachman L *see* Paller et al, 927

Paller AS, Pachman L, Rich K, Esterly NB, Gonzalez-Crussi F: Pustulosis palmaris and plantaris: Its association with chronic recurrent multifocal osteomyelitis, 927

Parlier RJ: Cytomegalovirus infection in an immunosuppressed man, 720 (Correspondence)

Parish LC: P(h)thirus pubis and lindane resistance, 889 (Correspondence)

Parodi A *see* Nunzi et al, 268

Parolini F *see* Berti et al, 507

Patel HP, Unis ME: Pili torti in association with citrullinemia, 203

Patel JS *see* Hira et al, 580 (Correspondence)

Pathak M *see* Bickers et al, 380 (Special report)

Peluso G *see* Ruocco et al, 587 (Correspondence)

Pentland AP, Anderson TR: Plantar fibromatosis responds to intraleisional steroids, 212

Pestana A, Halprin KM, Taylor JR, Schiff ER, Esquenazi V, Comerford M, Gomez C: Predictive value of HLA antigen for methotrexate-induced liver damage in patients with psoriasis, 26

Peterson C *see* Goldberg et al, 949

Phelps RG *see* Brownstein et al, 707 (Dermatopathology)

Pierson DL *see* Chan et al, 937

Pisani M *see* Ruocco et al, 587 (Correspondence)

Pisanti S *see* Katz and Pisanti, 719 (Correspondence)

Piscioli F *see* Cristofolini et al, 633

Plotnick H *see* Wade and Plotnick, 515

Poh-Fitzpatrick MB: Reply to Levit F: Availability of canthaxanthin in the United States, 129 (Correspondence)

Pollack MS *see* Myskowski et al, 997

Powell FC: Reply to Monk B: Lichen planus and the liver, 123 (Correspondence)

Pozo-Román T, Menárguez-Palanca FJ, Gómez-Pineda A, González-

Herrada CM, Lázaro-Ochaita P: Specific cutaneous involvement in the course of chronic myelomonocytic leukemia simultaneously with blastic leukemic transformation, 943

Price E *see* Biro et al, 375 (Correspondence)

Prioleau PG *see* Moses and Prioleau, 497

Prunieras M *see* Woodley et al, 420

Puig L, Moreno A, Domingo P, Llistosella E, de Moragas JM: Cutaneous angiomas in POEMS syndrome, 961

Pullman H *see* Ingber et al, 377 (Correspondence)

Purcell SM, Dixon SL: Allergic contact dermatitis to clonidine hydrochloride simulating extensive herpes simplex labialis, 231

R

Radvany R *see* Rosen et al, 531

Rampen FHJ, Hulsmans RFHJ: Vascular lesions in pregnancy: A hypothesis, 371 (Correspondence)

—, van der Esch EP: Biopsy and survival of malignant melanoma, 385 (Commentary)

Ramsay CA *see* Haber et al, 836, 1040

Ranchoff RE, Bergfeld WF: Topical minoxidil reduces blood pressure, 586 (Correspondence)

Rasmussen JE *see* Lane et al, 1115

Rea TH *see* Leyden et al, 676

Rebora A, Guerrera M: Acquired progressive kinking of the hair, 933

—, Rongioletti F: Reply to Monk B: Lichen planus and the liver, 123 (Correspondence)

— *see* Crovato and Rebora, 885 (Correspondence)

— *see* Nunzi et al, 268

Reed BR, Burke S, Bozeman M, Golitz LE, Huff JC: Lymphedema of the lower abdominal wall in pregnancy, 930

Reed CE *see* Greene et al, 669

Reverberi C *see* Alinovi et al, 563

Rich K *see* Paller et al, 927

Richards RN: Clinical experience with 0.05% clobetasol propionate creams, 891 (Correspondence)

Rigel DS *see* Kopf et al, 656

Roberts LC *see* Spielvogel et al, 475

Robertson DB *see* Moreland et al, 886 (Correspondence)

Robinson JK: Dermatofibrosarcoma protuberans resected by Mohs' surgery (chemotherapy), 1093 (Dermatologic surgery)

— *see* Goldberg et al, 949

Rodman OG *see* Chan et al, 937

Rodnan G *see* Beutner et al, 289

Roelandts R *see* Van Boven et al, 822

Roenigk H Jr *see* Rosen et al, 531

Rofsky HE *see* Chen and Rofsky, 583 (Correspondence)

Rogers GS *see* Kopf et al, 656

Rongioletti F *see* Rebora and Rongioletti, 123 (Correspondence)

Rosen DA *see* McBurney and Rosen, 582 (Correspondence)

Rosen ST, Radvany R, Roenigk H Jr, Terasaki PI, Bunn PA Jr: Human leukocyte antigens in cutaneous T cell lymphoma, 531

Rosenberg EW: Action of eugenol, 724 (Correspondence)

— *see* Skinner et al, 852

Rosenman D *see* Israelewicz et al, 1104 (Correspondence)

Rosin MA: Alopecia areata and pemphigus foliaceus, 895 (Correspondence)

Ross JB *see* Miller et al, 888 (Correspondence)

Rotstein H, Czarniecki DB, O'Brien TJ, Hanna MJD, Lyall I: The sign of Leser-Trélat, 121 (Correspondence)

Roundtree JM *see* Wheeland and Roundtree, 172

Rubin MG, Hanno R: Short-term etretinate for pustular psoriasis, 896 (Correspondence)

Rucker S *see* Maddox et al, 952

Ruocco V, Peluso G, Pisani M: Pemphigus vulgaris in only one of two monozygotic twins, 587 (Correspondence)

S

Safai B *see* Myskowski et al, 997

Sams WM *see* Logan et al, 716 (Periodic synopsis)

Samuelson JS: An accurate photographic method for grading acne: Initial use in a double-blind clinical comparison of minocycline and tetracycline, 461

Santen RJ *see* Lookingbill et al, 481

Santos GW *see* Hymes et al, 30, 468

Sarma DP: Death from malignant melanoma, 895 (Correspondence)

Sawchuk WS *see* Burton and Sawchuk, 182

Scappini P *see* Cristofolini et al, 633

Schachner L, Hankin DE: Assessing child abuse in childhood condyloma acuminatum, 157 (Commentary)

Schamburg-Lever G: Reply to Amornsiripanich S: Defective cytoplasmic transport of cell surface carbohydrates in psoriasis, 1111 (Correspondence)

Scheithauer BW *see* Vandersteen and Scheithauer, 1032

Scher PK: Subungual scabies, 577 (Correspondence)

Schewach-Millet M *see* Kahana et al, 127 (Correspondence)

Schiff ER *see* Pestana et al, 26

Schneider DR *see* Kwan et al, 99

Schorr E *see* Myskowski et al, 997

Schroeter AL *see* Greene et al, 669

Schultz BM, Schwartz RA: Hypopharyngeal squamous cell carcinoma metastatic to skin, 169

Schwartz BK, Clendenning WE: A cutaneous sign of bulimia, 725 (Correspondence)

Schwartz RA *see* Lin et al, 1022

— *see* Schultz and Schwartz, 169

Schwimmer B *see* Lipinski and Schwimmer, 581 (Correspondence)

Scotto J *see* Stern et al, 67

Sebben JE: Reply to Voron DA: Cold (tray) sterilization of hepatitis B virus, 718 (Correspondence)

Serrano G: Reply to Weigand DA: Piroxicam-induced photosensitivity, 373 (Correspondence)

Shafaie F *see* Leipziger et al, 409

Shaib J *see* Zaynoun et al, 522

Shalita AR *see* Lesher et al, 526

Shaw JM *see* Langlois et al, 911

Shear NH *see* Dupuis et al, 1112 (Correspondence)

Shehi GM *see* Ward et al, 863 (Adverse reactions)

Shelley ED, Shelley WB, Swaminathan R: Reply to English J: Lichen aureus, 379 (Correspondence)

— *see* Shelley et al, 125 (Correspondence); 917

Shelley WB, Shelley ED, Swaminathan R: Myofibroblasts in a collagen nevus detected by electron microscopy, 917

—, —, —: Reply to Wilkin JK: Lichen aureus, 125 (Correspondence)

— *see* Shelley et al, 379 (Correspondence)

Sherertz EF, Jegashothy BV, Lazarus GS: Phenytoin hypersensitivity reaction presenting with toxic epidermal necrolysis and severe hepatitis, 178

Shimizu H, Yamasaki Y, Harada T, Nishikawa T: Prurigo pigmentosa, 165

Skinner RB Jr, Noah PW, Taylor RM, Zanolli MD, West S, Guin

JD, Rosenberg EW: Double-blind treatment of seborrheic dermatitis with 2% ketoconazole cream, 852

Slagel GA, James WD: Plaque-induced erythroderma, 857 (Adverse reactions)

Slater DN *see* Wright et al, 369 (Correspondence)

Smith JG Jr *see* Lesher et al, 526

— *see* Leyden et al, 676

Smith LL, Conner SL: Ataxia-telangiectasia or Louis-Bar syndrome, 681 (Clinical review)

Smoller BR *see* Kwan et al, 99

Sober AJ *see* Nordlund et al, 359 (Periodic synopsis)

Solomon H *see* Ellis et al, 235

Spiegel J, Colton A: AEC syndrome: Ankyloblepharon, ectodermal defects, and cleft lip and palate, 810

Spielvogel RL, De Villez RL, Roberts LC: Oral isotretinoin therapy for familial Muir-Torre syndrome, 475

— *see* Harper and Spielvogel, 185

— *see* Nelson et al, 985

Spiller RF *see* Spiller and Spiller, 589, 1108 (Correspondence)

Spiller WF, Spiller RF: Reply to Brooks NA: Curettage and shave excision, 1108 (Correspondence)

—, —: Reply to Knox JM: Treatment of skin cancer, 589 (Correspondence)

Spiro JG *see* Diffey et al, 119 (Correspondence)

Stein DH *see* Lane et al, 1115

Steinfeld M *see* Israelewicz et al, 1104 (Correspondence)

Stelzer GT *see* Fowler et al, 73

Stempler D *see* Kahana et al, 127 (Correspondence)

Stern R *see* Bigby and Stern, 866 (Adverse reactions)

Stern RS, Scotto J, Fear TR: Psoriasis and susceptibility to non-melanoma skin cancer, 67

— *see* Menkes et al, 21

Stevens CS: Follicular cysts: How should we name them? 367 (Correspondence)

Stewart JJ *see* Hazen et al, 1077 (Adverse reactions)

Strauss JS: Travel abroad, 723 (Correspondence)

Strelfing A *see* Farber et al, 150 (Commentary)

Swallow RT *see* Hendricks and Swallow, 90

Swaminathan R *see* Shelley et al, 125, 379, 917 (Correspondence)

T

Taplin D *see* Feingold and Taplin, 889 (Correspondence)

—: Reply to Behl PN: Eradication of scabies with a single treatment schedule, 117 (Correspondence)

Tasker TCG *see* Wuite et al, 1026

Taylor JR *see* Pestana et al, 26

Taylor RM *see* Skinner et al, 852

Terasaki PI *see* Rosen et al, 531

Tharp CK: The evolution controversy, 890 (Correspondence)

Thomas P *see* Van Neste et al, 372 (Correspondence)

Thomsen HK *see* Kissis et al, 1106 (Correspondence)

Toback AC, Korson R, Krusinski PA: Pulling boat hands: A unique dermatosis from coastal New England, 649

Tomecki KJ, Wikas SM: Cocaine-related bullous disease, 585 (Correspondence)

— *see* Leyden et al, 676

Tomich JM *see* Wagner et al, 441

Tuchman AJ *see* Aranoff et al, 176

Tucker WFG *see* Wright et al, 369 (Correspondence)

Tuneu A, Moreno A, de Moragas JM: Cutaneous reactions secondary to heparin injections, 1072 (Adverse reactions)

Tur E *see* Guy et al, 1001

— *see* Zackheim et al, 578 (Correspondence)

Tutschka PJ *see* Hymes et al, 30, 468

U

Ucci A *see* Bhawan et al, 721 (Correspondence)

Unis ME *see* Patel and Unis, 203

Urbach F *see* Bickler et al, 380 (Special report)

Urbanski SJ, From L, Abramowicz A, Joaquin A, Luk SC: Metamorphosis of dermal cylindroma: Possible relation to malignant transformation, 188

V

Väätäinen N, Hollinen A, Fräki JE: Trimethylpsoralen bath plus ultraviolet A combined with oral retinoid (etretinate) in the treatment of severe psoriasis, 52

Van Boven M, Roelandts R, Adriaens P, Daenens P, Degreef H, Kinger R: Standardizing 8-methoxysoralen plasma profiles by using an emulsion form, 822

van der Esch EP *see* Rampen and van der Esch, 385 (Commentary)

Vandersteen PR, Scheithauer BW: Glucagonoma syndrome, 1032

Vanderveen EE, Ellis CN: Reply to Ranchoff RE, Bergfeld WF: Topical minoxidil reduces blood pressure, 587 (Correspondence)

van Dijk E *see* Bremer Schulte et al, 61

Van Hale HM, Winkelmann RK: Nodular lymphoid disease of the head and neck: Lymphocytoma cutis, benign lymphocytic infiltrate of Jessner, and their distinction from malignant lymphoma, 455

Van Neste D, Caulier B, Thomas P, Vasseur F: PIBIDS: Tay's syndrome and xeroderma pigmentosum, 372 (Correspondence)

Variakojis D *see* Aronson et al, 535 (Clinical review)

Vasseur F *see* Van Neste et al, 372 (Correspondence)

Voorhees JJ *see* Bohm and Voorhees, 740 (Special report)

— *see* Lesher et al, 526

Voron DA: Cold (tray) sterilization of hepatitis B virus, 718 (Correspondence)

W

Wade MH, Plotnick H: Xeroderma pigmentosum and squamous cell carcinoma of the tongue, 515

Wagner RF Jr, Tomich JM, Grande DJ: Electrolysis and thermolysis for permanent hair removal, 441

Walker AE *see* Hazen et al, 1077 (Adverse reactions)

Walter-Ryan WG *see* Ward et al, 863 (Adverse reactions)

Walters LL *see* Hymes et al, 30

Ward WQ, Walter-Ryan WG, Shehi GM: Toxic psychosis: A complication of antimalarial therapy, 863 (Adverse reactions)

Weary PE: Reply to Biro L, Price E, Brand AJ: Skin cancer detection clinics, 376 (Correspondence)

Wechsler HL *see* Kaplan et al, 1013

Weigand DA: Effect of anatomic region on immunofluorescence diagnosis of bullous pemphigoid, 274

—: Piroxicam-induced photosensitivity, 373 (Correspondence)

West DP *see* Aronson et al, 535 (Clinical review)

West S *see* Skinner et al, 852

Wheeland RG, Roundtree JM: Calcinosis cutis resulting from percutaneous penetration and deposition of calcium, 172

— *see* Ellis et al, 235

Wheeler CE Jr *see* Marks et al, 914
Whitney D *see* Fretzin and Whitney, 589 (Correspondence)
Wiessman-Katzenelson V *see* Ingber et al, 377 (Correspondence)
Wikas SM *see* Tomecki and Wikas, 585 (Correspondence)
Wiles JC, Hansen RC: Postoperative (pressure) alopecia, 195
Wilkin JK: Lichen aureus, 124 (Correspondence)
—: Reply to English J: Lichen aureus, 378 (Correspondence)
Williams ML, Elias PM: Absence of vacuolization of upper epidermal cells in nonbullosus congenital ichthyosis erythroderma, 126 (Correspondence)
Wilson HD *see* Aronson et al, 535 (Clinical review)
Winkelmann RK *see* Connelly and Winkelmann, 844
— *see* Van Hale and Winkelmann, 455
Wolf JE Jr *see* Bruce and Wolf, 332
Wong RC, Ellis CN: Reply to Rampen FHJ, Hulsmans RFHJ: Vascular lesions in pregnancy: A hypothesis, 372 (Correspondence)
Woodley DT, O'Keefe EJ, Prunieras M: Cutaneous wound healing: A model for cell-matrix interactions, 420
Wright AL, Tucker WFG, Slater DN, Harrington CI: Letterer-Siwe disease in the ninth decade, 369 (Correspondence)
Wuite J, Davies BI, Go MJ, Lambers JC, Jackson D, Mellows G, Tasker TCG: Pseudomonic acid, a new antibiotic for topical therapy, 1026

— *see* Bremer Schulte et al, 61
Wybran J *see* Lowy et al, 78

Y

Yamasaki Y *see* Shimizu et al, 165
Yu GSM *see* Dotz et al, 37

Z

Zackheim HS, Halde C, Goodman RS, Marchasin S, Buncke HJ Jr: Phaeohyphomycotic cyst of the skin caused by *Exophiala jeanselmei*, 207
—, Tur E, Guy RH: Regional blood flow and mycosis fungoidea, 578 (Correspondence)
Zanolli MD *see* Skinner et al, 852
Zaynoun S, Abi Ali L, Shaib J, Kurban A: The relationship of sun exposure and solar elastosis to basal cell carcinoma, 522
Zaynoun ST *see* Afifi et al, 198
Zdziarski UE *see* Kaplan et al, 1013
Zeitz HJ *see* Aronson et al, 535 (Clinical review)
Zingg W *see* Haberman et al, 132 (Special article)
Zuckerman F *see* Israelewicz et al, 1104 (Correspondence)
Zuker RM *see* Dupuis et al, 1112 (Correspondence)
Zumiani G *see* Cristofolini et al, 633

Subject index

A

Abroad, travel (Strauss), 723 (Correspondence)
Academy meeting, annual, etiquette at (Kelly), 893 (Correspondence)
replies (Jansen; Nordstedt), 893, 894 (Correspondence)
Acanthosis of epidermis secondary to dermal alteration in acquired digital fibrokeratoma (Kint et al), 816
Acne, accurate photographic method for grading: initial use in double-blind clinical comparison of minocycline and tetracycline (Samuelson), 461
and related conditions, therapy, (Coskey) 1045
vulgaris, evaluation of 2% erythromycin ointment in topical therapy of (Lesher et al), 526
isotretinoin treatment of, multiple granulation tissue lesions occurring in successful response to topical corticosteroid therapy (Miller et al), 888 (Correspondence)
women with, tissue production of androgens in (Lookingbill et al), 481
Acrokeratoelastoidosis of Costa in North America (Korc et al), 832
Acrosclerosis, immunologic studies of patients with, for evaluation of methods for detection of anticentromere antibodies and other antinuclear antibodies (Beutner et al), 289
Actinic porokeratosis, disseminated superficial: appearance associated with photochemotherapy for psoriasis (Hazen et al), 1077 (Adverse reactions)

January, part 1, pp. 1-160; January, part 2, pp. 161-214; February, part 1, pp. 215-392; February, part 2, pp. 393-440; March, pp. 441-596; April, pp. 597-752; May, part 1, pp. 753-910; May, part 2, pp. 911-964; June, pp. 965-1154.

Adenoma, papillary, of nipple: analysis of fifteen new cases (Brownstein et al), 707 (Dermatopathology)
Adenomatosis, erosive; papillary adenoma of nipple (Brownstein et al), 707 (Dermatopathology)
Adnexal skin tumors, benign, histologic diagnosis of (Brown and Ariano), 350 (Dermatopathology)
AEC syndrome: ankyloblepharon, ectodermal defects, and cleft lip and palate (Spiegel and Colton), 810
Age and racial differences to methyl nicotinate-induced vasodilation in human skin (Guy et al), 1001
Allergic contact dermatitis to dyclonine hydrochloride simulating extensive herpes simplex labialis (Purcell and Dixon), 231
reaction to fragrance materials; perfume dermatitis (Larsen), 1
Alopecia areata and alopecia universalis, clinical and immunologic response to Isoprinosine in; association with autoantibodies (Lowy et al), 78
and pemphigus foliaceus (Rosin), 895 (Correspondence)
topical photochemotherapy for (Mitchell and Douglass), 644
in meralgia paresthetica (Aranoff et al), 176
postoperative (pressure) (Wiles and Hansen), 195
universalis, alopecia areata and, clinical and immunologic response to Isoprinosine in; association with autoantibodies (Lowy et al), 78
Amalgams, dental, hypersensitivity to mercury from (Mackert), 877
(Current issues)
response (Fisher), 878 (Current issues)

Ambulatory psoriasis treatment center, role of, as cost-effective program for severe psoriasis (Bohm and Voorhees), 740 (Special report)

Amiodarone hydrochloride, cutaneous hyperpigmentation induced by (Alinovi et al), 563

Amitriptyline, minocycline and, synergism of, in cutaneous hyperpigmentation (Basler and Goetz), 577 (Correspondence)

Anatomic region, effect of, on immunofluorescence diagnosis of bullous pemphigoid (Weigand), 274

Androgen(s) metabolism in normal and hirsute women; hirsutism: evaluation and treatment (Kvedar et al), 215

 tissue production of, in women with acne (Lookingbill et al), 481

Anemia, megaloblastic, hyperpigmentation in (Marks et al), 914

Angiofibromas, fibrous papules and, α_1 -antitrypsin and lysozyme in (Kwan et al), 99 (Dermatopathology)

Angiokeratoma corporis diffusum and normal enzyme activities (Crovato and Rebora), 885 (Correspondence)

 vulvae (Novick), 561

Angiolymphoid hyperplasia with eosinophilia (Olsen and Helwig), 781

Angiomas, cutaneous, in POEMS syndrome (Puig et al), 961

Angiosarcoma, postirradiation (Goette and Detlefs), 922

Ankyloblepharon, ectodermal defects, and cleft lip and palate (AEC syndrome) (Spiegel and Colton), 810

Antibiotics, absorption of, decreased by administration with iron; absorption of minocycline hydrochloride and tetracycline hydrochloride (Leyden), 308

 for topical therapy, new; pseudomonic acid (Wuite et al), 1026

Antibodies, anticentromere, and other antinuclear antibodies, evaluation of methods for detection of (Beutner et al), 289

 antinear, as indicators for procainamide-induced systemic lupus erythematosus-like syndrome and its clinical presentations (Gorsulowsky et al), 245

 clinical correlations of, in pemphigus studied by radioimmunoassay (Ahmed et al), 45

IgG and IgM, related to course of Ofuji's disease (Nunzi et al), 268

 monoclonal, and cutaneous T cell lymphoma (McMillan), 102 (Clinical review)

Antigen(s) associations, human histocompatibility, in patients with chronic cutaneous lupus erythematosus (Fowler et al), 73

 hepatitis B surface, Gianotti-Crosti syndrome associated with (Lee et al), 629

 human leukocyte, in cutaneous T cell lymphoma (Rosen et al), 531

 (HLA), predictive value of, for methotrexate-induced liver damage in patients with psoriasis (Pestana et al), 26

Antimony cream, topical, patient with cutaneous leishmaniasis successfully treated with (Nelson et al), 985

Antinuclear antibodies as indicators for procainamide-induced systemic lupus erythematosus-like syndrome and its clinical presentations (Gorsulowsky et al), 245

 other, and anticentromere antibodies, evaluation of methods for detection of (Beutner et al), 289

α_1 -Antitrypsin and lysozyme in fibrous papules and angiofibromas (Kwan et al), 99 (Dermatopathology)

Aphthosis, oral, significant response of, to thalidomide treatment (Grinspan), 85

Arthritis, mono-, neonatal lupus erythematosus, multiple thromboses, and, in family with Ro antibody (Lin et al), 1022

Aspergillosis, primary cutaneous, in six leukemic children (Grossman et al), 313

Ataxia-telangiectasia or Louis-Bar syndrome (Smith and Conerly), 681 (Clinical review)

Autoantibodies, association with; clinical and immunologic response to Isoprinosine in alopecia areata and alopecia universalis (Lowy et al), 78

Autosomal recessive inheritance in ataxia-telangiectasia or Louis-Bar syndrome (Smith and Conerly), 681 (Clinical review)

B

Baby, bronze, syndrome (Ashley et al), 325

Bacterial invasion and wound infection, occlusive wound dressings to prevent (Mertz et al), 662

Basal cell carcinoma, human leukocyte antigen associations in (Myskowski et al), 997

 cytoplasm, high circulating titers of IgG and IgM directed to; Ofuji's disease (Nunzi et al), 268

 relationship of sun exposure and solar elastosis to (Zaynoun et al), 522

Becker's nevus, familial (Fretzin and Whitney), 589 (Correspondence)

Biliary cirrhosis, primary, pemphigus erythematosus, and D-penicillamine: report of case (Gibson and Dicken), 883 (Correspondence)

Biologic effectiveness of black light fluorescent lamps for PUVA (Fleming and Brody), 894 (Correspondence)

 reply (Forbes et al), 894 (Correspondence)

Biopsy(ies), skin, direct immunofluorescence in, simplified fixative medium for (Niedecken and Lange), 828

 and survival of malignant melanoma (Rampen and van der Esch), 385 (Commentary)

Biosynthetic dressings, experiences with (Eaglstein), 434

 and wound healing (Carter), 393

Black light fluorescent lamps for PUVA, biologic effectiveness of (Fleming and Brody), 894 (Correspondence)

 reply (Forbes et al), 894 (Correspondence)

Blood flow, regional, and mycosis fungoidea (Zackheim et al), 578 (Correspondence)

 pressure, topical minoxidil reduces (Ranchoff and Bergfeld), 586 (Correspondence)

 reply (Vanderveen and Ellis), 587 (Correspondence)

Bone marrow transplantation, acute graft-versus-host reaction severe complication of (Hymes et al), 468

Book reviews, 148, 382, 591, 748, 904, 1124

Breast carcinoma metastatic to skin, papillary adenoma of nipple compared with (Brownstein et al), 707 (Dermatopathology)

Bronze baby syndrome (Ashley et al), 325

Bulimia, cutaneous sign of (Schwartz and Clendenning), 725 (Correspondence)

Bullae, hemorrhagic, associated with *Morganella morganii* septicemia (Bagel and Grossman), 575

Bullous disease, cocaine-related (Tomecki and Wikas), 585 (Correspondence)

 pemphigoid, effect of anatomic region on immunofluorescence diagnosis of (Weigand), 274

Burn scar, thermal, gigantic malignant melanomas in (Goldberg et al), 949
Burrow's wedge principle, use of, for repair of wounds in or near the eyebrow (Gormley), 344 (Dermatologic surgery)

C

Calcinosis cutis resulting from percutaneous penetration and deposition of calcium (Wheeland and Roundtree), 172
Calcium, calcinosis cutis resulting from percutaneous penetration and deposition of (Wheeland and Roundtree), 172
Cancer, nonmelanoma skin, psoriasis and susceptibility to (Stern et al), 67
skin, detection clinics (Biro et al), 375 (Correspondence)
 reply (Weary), 376 (Correspondence)
treatment of (Knox), 589 (Correspondence)
 reply (Spiller and Spiller), 589 (Correspondence)
Canthaxanthin, availability of, in United States (Levit), 129 (Correspondence)
 reply (Poh-Fitzpatrick), 129 (Correspondence)
Carbohydrates, cell surface, defective cytoplasmic transport of, in psoriasis (Amornsiripanich), 1111 (Correspondence)
 reply (Schaumburg-Lever), 1111 (Correspondence)
Carcinoma, basal cell, human leukocyte antigen associations in (Myskowsky et al), 997
 relationship of sun exposure and solar elastosis to (Zaynoun et al), 522
endometrial, umbilical metastasis of: case report (Ali and Bauer), 887 (Correspondence)
hypopharyngeal squamous cell, metastatic to skin (Schultz and Schwartz), 169
Merkel cell, electron microscopy of, from formalin-fixed tissue (Haneke), 487
metastatic squamous cell, of skin occurring in lymphomatous lymph node (Mora), 571
squamous cell, in burn scars, compared with group having malignant melanomas in burn scars (Goldberg et al), 949
of tongue, xeroderma pigmentosum and (Wade and Plotnick), 515
Cashew nuts, dermatitis from (Behl), 117 (Correspondence)
Cellular infiltrate, morphology of, in delayed pressure urticaria (Czarnetzki et al), 253
Cephalic histiocytosis, benign (Eisenberg et al), 328
Cerebellar ataxia, progressive, in ataxia-telangiectasia or Louis-Bar syndrome (Smith and Connelly), 681 (Clinical review)
Cerebral cysticercosis: diagnostic value of subcutaneous nodules (Falaña and Kapoor), 304
Cervix uteri, radiotherapy for squamous cell carcinoma of; cutaneous angiomyxoma of lower abdomen in site where received (Goette and Detlefs), 922
Cheirosis, angular; collagen implant in management of perleche (Chernosky), 493
Chemical workers with and without chloracne with past exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin, cutaneous histologic findings in (Moses and Prioleau), 497
Chemoattractant, increased plasma, in Sweet's syndrome (Kaplan et al), 1013
Chemosurgery (Mohs' surgery), dermatofibrosarcoma protuberans resected by (Robinson), 1093 (Dermatologic surgery)
Chemotherapeutic agent of interest to dermatologists; deoxycorformycin (Camisa et al), 1108 (Correspondence)

Chemotherapy, high-dose, with autologous marrow transplantation for malignant melanoma (Kessinger), 337 (Therapy)
Child abuse in childhood condyloma acuminatum (Schachner and Hankin), 157 (Commentary)
protective services, local, consultation with, for child with condyloma acuminatum (Schachner and Hankin), 157 (Commentary)
Chloracne, cutaneous histologic findings in chemical workers with and without, with past exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (Moses and Prioleau), 497
Cicatricial junctional epidermolysis bullosa (Haber et al), 836
Cirrhosis, primary biliary, pemphigus erythematosus, and D-penicillamine: report of case (Gibson and Dicken), 883 (Correspondence)
Citrullinemia, pili torti in association with (Patel and Unis), 203
Cleft lip and palate, ankyloblepharon, and ectodermal defects (AEC syndrome) (Spiegel and Colton), 810
Clobetasol propionate creams, 0.005%, clinical experience with (Richards), 891 (Correspondence)
 replies (Jackson; Lober), 892 (Correspondence)
Coal tar extract, psoriasis treatment with suberythermogenic ultraviolet B radiation and (Menkes et al), 21
Cocaine-related bullous disease (Tomecki and Wikas), 585 (Correspondence)
Cold (tray) sterilization of hepatitis B virus (Voron), 718 (Correspondence)
Collagen diseases, therapy (Coskey), 1047
 implant in management of perleche (angular cheilosis) Chernosky), 493
matrix implants and synthetic polymer dressings; dermal wound repair (Leipziger et al), 409
neoformentation of, by fibroblasts, acquired digital fibrokeratoma considered as resulting from (Kint et al), 816
nevus detected by electron microscopy, myofibroblasts in (Shelley et al), 917
Coma blisters and postoperative alopecia arising from pressure-induced ischemia (Wiles and Hansen), 195
Comedo-like papules in nevus comedonicus (Harper and Spielvogel), 185
Computer-assisted dermatologic diagnostic system (DIAG)—clinical experience and insight (Haberman et al), 132 (Special article)
Condyloma acuminatum, childhood, child abuse in (Schachner and Hankin), 157 (Commentary)
Congenital melanocytic nevi, estrogen and progesterone receptors in (Ellis et al), 235
Contact dermatitis, allergic, to dyclonine hydrochloride simulating extensive herpex simplex labialis (Purcell and Dixon), 231
Continuing medical education examination, 10, 226, 450, 625, 776, 976
answers, 12, 228, 452, 624, 778, 978
Cook acne severity grade and inflammatory lesion counts, patients evaluated by, in evaluation of 2% erythromycin ointment in topical therapy of acne vulgaris (Lesher et al), 526
Corticosteroid administration, intralesional, fixed cutaneous sporotrichosis: unusual histopathology following (Bickley et al), 1007

Corticosteroid—cont'd
 therapy, topical, successful response to, of multiple granulation tissue lesions occurring in isotretinoin treatment of acne vulgaris (Miller et al), 888 (Correspondence)

Cosmetic(s), fragrances leading cause of allergic contact dermatitis due to; perfume dermatitis (Larsen), 1

purposes, risks and benefits from high-intensity ultraviolet A sources used for (Bickers et al), 380 (Special report)

Cost containment, health care, dossier on (Cunningham), 364 (Editorial)

-effective program for severe psoriasis, role of ambulatory psoriasis treatment center as (Bohm and Voorhees), 740 (Special report)

Costa, acrokeratolastoidosis of, in North America (Korc et al), 832

CPK, elevated, and isotretinoin (Lipinski and Schwimmer), 581 (Correspondence)
 replies (McBurney and Rosen; Chen), 582, 583 (Correspondence)

Creatine phosphokinase, elevated, and strenuous exercise in patients taking isotretinoin (Lombardo et al), 580 (Correspondence)

CREST syndrome, immunologic studies of patients with most or all of signs of, for evaluation of methods for detection of anticentromere antibodies and other antinuclear antibodies (Beutner et al), 289

Crohn's disease, oral: report of two cases in brothers with metallic dysgeusia and review of literature (Frankel et al), 260

Culture(s), dermatophyte, cures for (Baral), 728 (Correspondence)
 reply (Head), 728 (Correspondence)
 tissue, regeneration of epidermis by cells grown in (Eisinger), 402

Curets for dermatophyte cultures (Baral), 728 (Correspondence)
 reply (Head), 728 (Correspondence)

Curettage and shave excision (Brooks), 1107 (Correspondence)
 reply (Spiller and Spiller), 1108 (Correspondence)

Current issues, 977

Cutaneous angiomas in POEMS syndrome (Puig et al), 961
 aspergillosis, primary, in six leukemic children (Grossman et al), 313

graft-versus-host reaction: prognostic features seen by light microscopy (Hymes et al), 468

histologic findings in chemical workers with and without chloracne with past exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (Moses and Prioleau), 497

hyperpigmentation induced by amiodarone hydrochloride (Alinovi et al), 563
 synergism of minocycline and amitriptyline in (Basler and Goetz), 577 (Correspondence)

involvement, specific, in course of chronic myelomonocytic leukemia simultaneously with blastic leukemic transformation (Pozo-Román et al), 943

leishmaniasis acquired in Texas, clinical aspects of (Nelson et al), 985

mercury granuloma (Lupton et al), 296

reactions to nonsteroidal anti-inflammatory drugs (Bigby and Stern), 866 (Adverse reactions)
 secondary to heparin injections (Tuney et al), 1072 (Adverse reactions)

sporotrichosis, fixed: unusual histopathology following intraleisional corticosteroid administration (Bickley et al), 1007

Cutaneous—cont'd
 T cell lymphoma, human leukocyte antigens in (Rosen et al), 531
 monoclonal antibodies and (McMillan), 102 (Clinical review)

ulcerations, chronic, and impaired healing in human skin (Krull), 394

wound healing: model for cell-matrix interactions (Woodley et al), 420

Cyclosporin A, treatment of cutaneous T cell lymphoma with (Moreland et al), 886 (Correspondence)

Cyclosporine, remission in skin filtrate of patient with mycosis fungoidea treated with (Maddox et al), 952

Cylindroma, locally invasive cutaneous; metamorphosis of dermal cylindroma (Urbanski et al), 188

Cyst(s), follicular: how should we name them? (Stevens), 367 (Correspondence)
 reply (Brownstein), 368 (Correspondence)

phaeohyphomycotic, of skin caused by *Exophiala jeanselmei* (Zackheim et al), 207

Cysticercosis, cerebral: diagnostic value of subcutaneous nodules (Falanga and Kapoor), 304

Cytomegalovirus infection, in an immunosuppressed man (Pariser), 720 (Correspondence)
 reply (Bhawan et al), 721 (Correspondence)

TORCH syndrome (Fine and Arndt), 697 (Clinical review)

Cyttoplasmic transport, defective, of cell surface carbohydrates in psoriasis (Amornsiripanitch), 1111 (Correspondence)
 reply (Schaumburg-Lever), 1111 (Correspondence)

Cytotoxic agents for use in dermatology. (McDonald), 753, 965

D

Dapsone in treatment of erosive lichen planus (Falk et al), 567

Darier's disease, Grover's disease resembling (Helfman), 981

Dead Sea, psoriasis treatment at: natural selective ultraviolet phototherapy (Abels and Kattan-Byron), 639

Death, major causes of, in fatal panniculitis (Aronson et al), 535 (Clinical review)

from malignant melanoma, 895 (Sarma) (Correspondence)

Dental amalgams, hypersensitivity to mercury from (Mackert), 877 (Current issues)
 response (Fisher), 878 (Current issues)

fluoride treatments, aggravation of dermatitis herpetiformis by (Bovenmyer), 719 (Correspondence)

measures, corrective, in management of perleche (angular cheilosis) (Chernosky), 493

Deoxycoformycin: new chemotherapeutic agent of interest to dermatologists (Camisa et al), 1108 (Correspondence)

Depigmentation seen as reaction to fragrance materials; perfume dermatitis (Larsen), 1

Dermal wound repair: role of collagen matrix implants and synthetic polymer dressings (Leipziger et al), 409

Dermatitis, allergic contact, to dyclonine hydrochloride simulating extensive herpes simplex labialis (Purcell and Dixon), 231
 from cashew nuts (Behl), 117 (Correspondence)

herpetiformis, aggravation of, by dental fluoride treatments (Bovenmyer), 719 (Correspondence)

seborrheic, double-blind treatment of, with 2% ketoconazole cream (Skinner et al), 852

textile dye (Hatch et al), 1079 (Clinical review)
 therapy (Coskey), 1047

Dermatofibrosarcoma protuberans resected by Mohs' surgery (chemosurgery) (Robinson), 1093 (Dermatologic surgery)

Dermatologic diseases, indications for use of cytotoxic drugs in (McDonald), 753, 965

immunology/diagnostic and laboratory immunology (DI/DLI), special qualification in, 898 (Special report)

therapy: December 1983 through November 1984 (Coskey), 1045

Dermatologists, reading list for; *real* literature (Caplan), 901 (Special article)

Dermatology, French Society of, Spring Meeting, Paris, France, March 8-10, 1984 (Landry and Girard), 733

giants in (Callaway), 144 (Special article)

(Hollander), 1109 (Correspondence)

reply (Callaway), 1109 (Correspondence)

Pediatric, Society for, Ninth Annual Meeting, Lake Tahoe, NV, 1115

Dermatomyositis and malignancy: commentary on recent report and need for increased scrutiny of reports of disease associations (Calen), 731 (Correspondence)

Dermatophyte cultures, cures for (Baral), 728 (Correspondence)

reply (Head), 728 (Correspondence)

Dermatosis, inflammatory; prurigo pigmentosa (Shimizu et al), 165

transient acantholytic (Grover's disease) (Helfman), 981

unique, from coastal New England; pulling boat hands (Toback et al), 649

DIAG: computer-assisted dermatologic diagnostic system—clinical experience and insight (Haberman et al), 132 (Special article)

Diagnosis, histologic, of benign adnexal skin tumors (Brown and Ariano), 350 (Dermatopathology)

Diagnostic and laboratory immunology, dermatologic immunology (DI/DLI), special qualification in, 898 (Special report)

system, computer-assisted (DIAG)—clinical experience and insight (Haberman et al), 132 (Special article)

Diphenhydramine, double-blind crossover study comparing doxepin with, for treatment of chronic urticaria (Greene et al), 669

Disease(s), bullous, cocaine-related (Tomecki and Wikas), 585 (Correspondence)

dermatologic indications for use of cytotoxic drugs in (McDonald), 753, 965

graft-versus-host, severe complication of bone marrow transplantation; cutaneous graft-versus-host reaction: prognostic features seen by light microscopy (Hymes et al), 468

inflammatory and neoplastic skin, heterogeneity of dermal OKT6+ cells in (Berti et al), 507

Letterer-Siwe, in ninth decade (Wright et al), 369 (Correspondence)

of total skin; psoriasis (Farber et al), 150 (Commentary)

Doxepin, double-blind crossover study comparing with diphenhydramine for treatment of chronic urticaria (Greene et al), 669

D-Penicillamine, pemphigus erythematosus, primary biliary cirrhosis, and; report of case (Gibson and Dicken), 883 (Correspondence)

Dressings, biosynthetic, experiences with (Eaglstein), 434

occlusive wound, to prevent bacterial invasion and wound infection (Mertz et al), 662

synthetic polymer, and collagen matrix implants, role of; dermal wound repair (Leipziger et al), 409

Drugs, nonsteroidal anti-inflammatory, cutaneous reactions to (Bigby and Stern), 866 (Adverse reactions)

Duo formula group treatment (DFGT) as example of group therapy of psoriasis (Schulte et al), 61

Dupuytren's contracture or plantar fibromatosis, intralesional steroid injections an alternative to surgery in patients with (Pentland and Anderson), 212

Dyclonine hydrochloride, allergic contact dermatitis to, simulating extensive herpes simplex labialis (Purcell and Dixon), 231

Dye, textile, dermatitis (Hatch et al), 1079 (Clinical review)

Dysgeusia, metallic, report of two cases of oral Crohn's disease in brothers with, and review of literature (Frankel et al), 260

Dysplastic nevus syndrome, relationship of nevocytic nevi to sun exposure in (Kopf et al), 656

E

Earlobe surgical repair and ear post replacement, one-step procedure for (Chernosky), 721 (Correspondence)

Ear post replacement and earlobe surgical repair, one-step procedure for (Chernosky), 721 (Correspondence)

Econazole cream, topical, for treatment of *Pityrosporum folliculitis* (Bäck et al), 56

1% in treatment of pityriasis versicolor in Zambia (Hira et al), 580 (Correspondence)

Ectodermal defects, ankyloblepharon, and cleft lip and palate (AEC syndrome) (Spiegel and Colton), 810

Elastosis, solar, relationship of sun exposure and, to basal cell carcinoma (Zaynoun et al), 522

Electrolysis and thermolysis for permanent hair removal (Wagner et al), 441

Electron microscopy of Merkel cell carcinoma from formalin-fixed tissue (Haneke), 487

Electronic tweezers, pitfalls of; electrolysis and thermolysis for permanent hair removal (Wagner et al), 441

Emulsion form, standardizing 8-methoxysoralen plasma profiles by using (Van Boven et al), 822

Endometrial carcinoma, umbilical metastasis of; case report (Ali and Bauer), 887 (Correspondence)

Environmental factors implicated in etiology of cutaneous T cell lymphoma (Rosen et al), 531

Enzyme activities, normal, angiokeratoma corporis diffusum and (Crovato and Reborna), 885 (Correspondence)

Eosinophilia, angiolympoid hyperplasia with (Olsen and Helwig), 781

Eosinophilic panniculitis (Burket and Burket), 161

Epidermis, regeneration of, by cells grown in tissue culture (Eisinger), 402

Epidermolysis bullosa, cicatricial junctional (Haber et al), 836

simplex with keratoderma of palms and soles (Haber et al), 1040

Erythema gyratum repens unassociated with internal malignancy (Langlois et al), 911

necrotolytic migratory, considered paraneoplastic dermatosis; glucagonoma syndrome (Vandersteen and Scheithauer), 1032

Erythroderma, nonbullous congenital ichthyosiform, vacuolization of upper epidermal cells in (Williams and Elias), 126 (Correspondence)

plaquenil-induced (Slagel and James), 857 (Adverse reactions)

Erythromycin ointment, 2%, evaluation of, in topical therapy of acne vulgaris (Lesher et al), 526

Estrogen and progesterone receptors in congenital melanocytic nevi (Ellis et al), 235

Etiquette at annual Academy meeting (Kelly), 893 (Correspondence)
replies (Jansem, Nordstedt), 893, 894 (Correspondence)

Etretinate (oral retinoid), trimethylpsoralen bath plus ultraviolet A combined with, in treatment of severe psoriasis (Väistönen et al), 52

short-term, for pustular psoriasis (Rubin and Hanno), 896 (Correspondence)

(Tegison; Tigason), role of, in management of keratoacanthoma (Cristofolini et al), 633

Eugenol, action of (Rosenberg), 724 (Correspondence)
reply (Guin), 724 (Correspondence)

Evolution controversy (Tharp), 890 (Correspondence)
reply (Anderson), 891 (Correspondence)

Exercise, strenuous, and elevated creatine phosphokinase in patients taking isotretinoin (Lombardo et al), 580 (Correspondence)

Exophiala jeanselmei, phaeohyphomycotic cyst of skin caused by (Zackheim et al), 207

Eyebrow, wounds in or near, use of Burrow's wedge principle for repair of (Gormley), 344 (Dermatologic surgery)

F

Familial Becker's nevus (Fretzin and Whitney), 589 (Correspondence)

Muir-Torre syndrome, oral isotretinoin therapy for (Spielvogel et al), 475

Fatal panniculitis (Aronson et al), 535 (Clinical review)

Fibrokeratoma, acquired (digital) (Kint et al), 816

Fibromatoses, plantar, responds to intralesional steroids (Pentland and Anderson), 212

Fingernails, onycholysis of: evaluation and management (Kechijian), 552 (Clinical review)

Fixative medium, simplified, for direct immunofluorescence in skin biopsies (Niedecken and Lange), 828

Fluorescent lamps, black light, for PUVA, biologic effectiveness of (Fleming and Brody), 894 (Correspondence)
reply (Forbes et al), 894 (Correspondence)

5-Fluorouracil therapy, topical, herpes simplex complicating (Braunstein), 1109 (Correspondence)
reply (Goette), 1110 (Correspondence)

Follicular cysts: how should we name them? (Stevens), 367 (Correspondence)
reply (Brownstein), 368 (Correspondence)

Folliculitis, gram-negative, treatment of, with isotretinoin: positive clinical and microbiologic response (James and Leyden), 319

Pityrosporum: common disease of young and middle-aged (Bäck et al), 56

Food, effect of, on absorption of minocycline hydrochloride and tetracycline hydrochloride (Leyden), 308
sulfited restaurant; sulfite update, 881 (Editorial)

Formalin-fixed tissue, electron microscopy of Merkel cell carcinoma from (Haneke), 487

Fragrance materials, most common reaction to; perfume dermatitis (Larsen), 1

French Society of Dermatology Spring Meeting, Paris, France, March 8-10, 1984 (Landry and Girard), 733

G

Gianotti-Crosti syndrome associated with hepatitis B surface antigen (subtype adr) (Lee et al), 629

 papulosquamous diseases (Fox and Odom), 597

Giants in dermatology (Callaway), 144 (Special article)

(Hollander), 1109 (Correspondence)
 reply (Callaway), 1109 (Correspondence)

Gingival bleeding unusual symptom in brothers with oral Crohn's disease (Frankel et al), 260

Glans penis, papulonecrotic tuberculid of (Israelewicz et al), 1104 (Correspondence)

Glucagonoma syndrome (Vandersteen and Scheithauer), 1032

Graft-versus-host reaction, chronic cutaneous, methoxsalen and ultraviolet A radiation in treatment of (Hymes et al), 30

 cutaneous, prognostic features seen by light microscopy (Hymes et al), 468

Granulation tissue lesions, multiple, occurring in isotretinoin treatment of acne vulgaris—successful response to topical corticosteroid therapy (Miller et al), 888 (Correspondence)

Granuloma annulare, palisading granuloma in secondary syphilis similar to (Green and Heilman), 957

 cutaneous mercury (Lupton et al), 296

 palisading, secondary syphilis presenting as (Green and Heilman), 957

Grover's disease treated with isotretinoin (Heilman), 981

Gynecologic and open heart surgery procedures, postoperative (pressure) alopecia after (Wiles and Hansen), 195

H

Hair, acquired progressive kinking of (Rebora and Guerrera), 933

disorders, therapy (Coskey), 1048

removal, electrolysis and thermolysis for (Wagner et al), 441

Hands, episodic hyperhidrosis on dorsum of (Chan et al), 937

Healing, cutaneous wound: model for cell-matrix interactions (Woodley et al), 420

 in human skin, impaired, chronic cutaneous ulcerations and (Krull), 394

wound, biosynthetic dressings and (Carter), 393

Health care cost containment, dossier on (Cunningham), 364 (Editorial)

Hematologic malignancy, primary cutaneous aspergilloses in six children with (Grossman et al), 313

Hemorrhage, sepsis, hepatic failure, and thrombosis major causes of death in fatal panniculitis (Aronson et al), 535 (Clinical review)

Hemorrhagic bullae associated with *Morganella morganii* septicemia (Bagel and Grossman), 575

Heparin injections, cutaneous reactions secondary to (Tuneu et al), 1072 (Adverse reactions)

Hepatic failure, sepsis, hemorrhage, and thrombosis major causes of death in fatal panniculitis (Aronson et al), 535 (Clinical review)

Hepatitis B infection, serologic survey for markers of, in dermatologists (Leyden et al), 676

 surface antigen (subtype adr), Gianotti-Crosti syndrome associated with (Lee et al), 629

virus, cold (tray) sterilization of (Voron), 718 (Correspondence)
 reply (Sebben), 718 (Correspondence)

Hepatitis—cont'd
 chronic active, and oral erosive lichen planus (Katz and Pisanti), 719 (Correspondence)
 severe, phenytoin hypersensitivity reaction presenting with toxic epidermal necrolysis and (Sherertz et al), 178

Herpes simplex complicating topical 5-fluorouracil therapy (Braunstein), 1109 (Correspondence)
 reply (Goette), 1110 (Correspondence)

 labialis, extensive, allergic contact dermatitis to dychlorine hydrochloride simulating (Purcell and Dixon), 231

TORCH syndrome (Fine and Arndt), 704 (Clinical review)

Herzog, Carl Joseph Sebastian (1885-1980) (Hollander), 389 (Epitaph)

Heterogeneity of dermal OKT6+ cells in inflammatory and neoplastic skin diseases (Berti et al), 507

Hidradenocarcinoma, nodular hidradenoma and (Hernández-Perez and Cestoni-Parducci), 15

Hidradenoma, nodular, and hidradenocarcinoma (Hernández-Perez and Cestoni-Parducci), 15

 papilliferum, papillary adenoma of nipple compared with (Brownstein et al), 707 (Dermatopathology)

Hirsutism: evaluation and treatment (Kvedar et al), 215

Histiocytosis, benign cephalic (Eisenberg et al), 328

Histologic diagnosis of benign adnexal skin tumors (Brown and Ariano), 350 (Dermatopathology)
 and temperature alterations induced by skin refrigerants (Dzubow), 796

Human histocompatibility antigen associations in patients with chronic cutaneous lupus erythematosus (Fowler et al), 73

leukocyte antigen(s) (HLA) associations in basal cell carcinoma (Myskowski et al), 997
 in cutaneous T cell lymphoma (Rosen et al), 531
 increased frequency of, reported in patients with lupus erythematosus (Fowler et al), 73
 predictive value of, for methotrexate-induced liver damage in patients with psoriasis (Pestana et al), 26

Hyperbilirubinemia, phototherapy for, gray-brown discoloration while receiving; bronze baby syndrome (Ashley et al), 325

Hyperhidrosis, episodic, on dorsum of hands (Chan et al), 937

Hyperpigmentation, cutaneous, induced by amiodarone hydrochloride (Alinovi et al), 563
 synergism of minocycline and amitriptyline in (Basler and Goetz), 577 (Correspondence)
due to topical application of silver sulfadiazine cream (Dupuis et al), 1112 (Correspondence)
 in lesions of tinea versicolor; tinea versicolor: light and electron microscopic study of hyperpigmented skin (Dotz et al), 37
 in megaloblastic anemia (Marks et al), 914

Hyperplasia, angiolympoid, with eosinophilia (Olsen and Helwig), 781
 premature sebaceous gland: successful treatment with isotretinoin (Burton and Sawchuk), 182

Hypersensitivity to mercury from dental amalgams (Mackert), 877
 (Current issues)
 response (Fisher), 878 (Current issues)

reaction, phenytoin, presenting with toxic epidermal necrolysis and severe hepatitis (Sherertz et al), 178

Hypertrichosis lanuginosa acquisita associated with multiple malignancies (Kassis et al), 1106 (Correspondence)

I

Illness, terminal (Feldman et al), 366 (Correspondence)

Immune complexes, papular urticaria and (Alexander), 374 (Correspondence)
 reply (Heng), 374 (Correspondence)

Immunofluorescence diagnosis of bullous pemphigoid, effect of anatomic region on (Weigand), 274

direct, in skin biopsies, simplified fixative medium for (Niedecken and Lange), 828

peculiar, and eosinophilic pustulosis, patient with (Ofuji's disease) (Nunzi et al), 268

Immunoglobulins, class G, pemphigus antibodies of, studied with use of solid-phase radioimmunoassay utilizing COLO-16 (Ahmed et al), 45

Immunologic response, clinical and, to Isoprinosine in alopecia areata and alopecia universalis: association with autoantibodies (Lowy et al), 78

Immunology, dermatologic/diagnostic and laboratory immunology (DI/DLI), special qualification in, 898 (Special report)

Immunopathologic study of normal and pathologic skin specimens for differentiation of dermal OKT6+ cells (Berti et al), 507

Immunosuppressed man, cytomegalovirus infection in (Pariser), 720 (Correspondence)
 reply (Bhawan et al), 721 (Correspondence)

Implant(s), collagen, in management of perlèche (angular cheilosis) (Chemosky), 493
 matrix, and synthetic polymer dressings, role of; dermal wound repair (Leipziger et al), 409

Industrial drilling fluids containing calcium salts, percutaneous penetration and subsequent deposition of calcium from (Wheeland and Roundtree), 172

Infection, hepatitis B, serologic survey for markers of, in dermatologists (Leyden et al), 676
 wound, and bacterial invasion, occlusive wound dressings to prevent (Mertz et al), 662

Infectious diseases, therapy (Coskey), 1049

Inflammatory, anti-, drugs, nonsteroidal, cutaneous reactions to (Bigby and Stern), 866 (Adverse reactions)
 lesion counts and Cook acne severity grade, patients evaluated by, in evaluation of 2% erythromycin ointment in topical therapy of acne vulgaris (Lesher et al), 526
 and neoplastic skin diseases, heterogeneity of dermal OKT6+ cells in (Berti et al), 507

injections, heparin, cutaneous reactions secondary to (Tuney et al), 1072 (Adverse reactions)

Iron, effect of, on absorption of minocycline hydrochloride and tetracycline hydrochloride (Leyden), 308

Irritation seen as reaction to fragrance materials; perfume dermatitis (Larsen), 1

Isotretinoin, elevated CPK and (Lipinski and Schwimmer), 581 (Correspondence)
 replies (McBurney and Rosen; Chen), 582, 583 (Correspondence)

Grover's disease treated with (Helfman), 981
strenuous exercise and elevated creatine phosphokinase in patients taking (Lombardo et al), 580 (Correspondence)

Isotretinoin—cont'd
 successful treatment of premature sebaceous gland hyperplasia with (Burton and Sawchuk), 182
 therapy, oral, for familial Muir-Torre syndrome (Spielvogel et al.), 475
 photosensitivity studies and (Diffey et al.), 119 (Correspondence)
 treatment of acne vulgaris, multiple granulation tissue lesions occurring in—successful response to topical corticosteroid therapy (Miller et al.), 888 (Correspondence)
 of gram-negative folliculitis with: positive clinical and microbiologic response (James and Leyden), 319

Italian Society of Dermatology's Annual Meeting, Rome, Italy, May 31-June 2, 1984 (Falanga and Marks), 121 (Correspondence)

J

Jessner, lymphocytic infiltrate of, lymphocytoma cutis, and their distinction from malignant lymphoma; nodular lymphoid disease of head and neck (Van Hale and Winkelmann), 455

Junctional epidermolysis bullosa, cicatricial (Haber et al.), 836

K

Keratoacanthoma(s), multiple (Alexander), 376 (Correspondence)
 reply (Benoidi and Alinovi), 376 (Correspondence)
 role of etretinate (Tegison; Tigason) in management of (Cristofolini et al.), 633
 solitary, in case of familial Muir-Torre syndrome (Spielvogel et al.), 475

Keratoderma of palms and soles; epidermolysis bullosa simplex (Haber et al.), 1040

Ketoconazole cream, 2%, double-blind treatment of seborrheic dermatitis with (Skinner et al.), 852

Kinking of hair, acquired progressive (Rebora and Guarnera), 933

L

Laboratory and diagnostic immunology, dermatologic immunology (DI/DLI), special qualification in, 898 (Special report)

Leishmaniasis, cutaneous, acquired in Texas, clinical aspects of (Nelson et al.), 985
 lymph node involvement in (Berger et al.), 993

Leser-Trélat, sign of (De Bersqués), 724 (Correspondence)
 (Ingber et al.), 377 (Correspondence)
 (Rotstein et al.), 121 (Correspondence)

Letterer-Siwe disease in ninth decade (Wright et al.), 369 (Correspondence)

Leukemia, chronic myelomonocytic, specific cutaneous involvement in course of, simultaneously with blastic leukemic transformation (Pozo-Román et al.), 943

Leukemic children, six, primary cutaneous aspergillosis in (Grossman et al.), 313

Lichen aureus (English), 377 (Correspondence)
 replies (Wilkin, 378; Shelley et al.), 379 (Correspondence)
 Wilkin, 124 (Correspondence)
 reply (Shelley et al.), 125 (Correspondence)

nitidus; papulosquamous diseases (Fox and Odom), 597

planus, erosive, dapsone in treatment of (Falk et al.), 567
 lichen sclerosus, and morphea, coexistence of (Connelly and Winkelmann), 844

Lichen—cont'd
 and liver (Monk), 122 (Correspondence)
 replies (Powell; Rebora and Rongioletti), 123 (Correspondence)
 oral erosive, and chronic active hepatitis (Katz and Pisanti), 719 (Correspondence)
 papulosquamous diseases (Fox and Odom), 597

sclerosus et atrophicus of elbows, appearance of lupus erythematosus in patient with (Kahana et al.), 127 (Correspondence)

morphea, and lichen planus, coexistence of (Connelly and Winkelmann), 844

striatus; papulosquamous diseases (Fox and Odom), 597

Lindane resistance and p(h)thirus pubis (Parish), 889 (Correspondence)
 reply (Feingold and Taplin), 889 (Correspondence)

Lipodystrophy, partial (localized) (Afifi et al.), 198

Literature, *real*: reading list for dermatologists (Caplan), 901 (Special article)

Livedo reticularis-like eruption, quinidine-induced photosensitive (Bruce and Wolf), 332

Liver damage, methotrexate-induced, predictive value of HLA antigen for, in patients with psoriasis (Pestana et al.), 26

lichen planus and (Monk), 122 (Correspondence)
 replies (Powell; Rebora and Rongioletti), 123 (Correspondence)

Louis-Bar syndrome or ataxia-telangiectasia (Smith and Connerly), 681 (Clinical review)

Lupus erythematosus, appearance of, in patient with lichen sclerosus et atrophicus of elbows (Kahana et al.), 127 (Correspondence)

chronic cutaneous (discoid), systemic lupus erythematosus in patients with (Callen), 278
 human histocompatibility antigen associations in patients with (Fowler et al.), 73

-like syndrome, procainamide-induced systemic, and its clinical presentations, antinuclear antibodies as indicators for (Gorsulowsky et al.), 245

neonatal, multiple thromboses, and monoarthritis in family with Ro antibody (Lin et al.), 1022

systemic, immunologic studies of patients with, for evaluation of methods for detection of anticentromere antibodies and other antinuclear antibodies (Beutner et al.), 289
 in patients with chronic cutaneous (discoid) lupus erythematosus (Callen), 278

Lymph node involvement in leishmaniasis (Berger et al.), 993

Lymphedema of lower abdominal wall in pregnancy (Reed et al.), 930

Lymphocyte-mediated inflammatory diseases, potential usefulness of dapsone therapy for; dapsone in treatment of erosive lichen planus (Falk et al.), 567

Lymphocytoma cutis, benign lymphocytic infiltrate of Jessner, and their distinction from malignant lymphoma; nodular lymphoid disease of head and neck (Van Hale and Winkelmann), 455

Lymphoid disease, nodular, of head and neck: lymphocytoma cutis, benign lymphocytic infiltrate of Jessner, and their distinction from malignant lymphoma (Van Hale and Winkelmann), 455

Lymphoma(s), cutaneous T cell, human leukocyte antigens in (Rosen et al), 531
monoclonal antibodies and (McMillan), 102 (Clinical review)
treatment of, with cyclosporin A (Moreland et al), 886 (Correspondence)
cytotoxic drugs lifesaving for patients with (McDonald), 753, 965 malignant, distinction of lymphocytoma cutis, benign lymphocytic infiltrate of Jessner from; nodular lymphoid disease of head and neck (Van Hale and Winkelmann), 455

Lymphomatous lymph node, metastatic squamous cell carcinoma of skin occurring in (Mora), 571

Lynch syndrome II and Lynch syndrome I (Fusaro), 129 (Correspondence)
reply (Banse-Kupin et al), 130 (Correspondence)

Lysozyme, α_1 -antitrypsin and, in fibrous papules and angiomas (Kwan et al), 99 (Dermatopathology)

M

Macules, acquired, bilateral nevus of Ota-like (Hidano), 368 (Correspondence)
reply (Hori), 369 (Correspondence)

Malaria, anti-, therapy, toxic psychosis complication of (Ward et al), 863 (Adverse reactions)

Malignancy(ies), dermatomyositis and: commentary on recent report and need for increased scrutiny of reports of disease associations (Callen), 731 (Correspondence)
hematologic, primary cutaneous aspergilloses in six children with (Grossman et al), 313

increased incidence of, in ataxia-telangiectasia or Louis-Bar syndrome (Smith and Conerly), 681 (Clinical review)

internal, erythema gyratum repens unassociated with (Langlois et al), 911

multiple, hypertrichosis lanuginosa acquisita associated with (Kassis et al), 1106 (Correspondence)

Malignant lymphoma, distinction of lymphocytoma cutis, benign lymphocytic infiltrate of Jessner from; nodular lymphoid disease of head and neck (Van Hale and Winkelmann), 455

melanoma, biopsy and survival of (Rampen and van der Esch), 385 (Commentary)
high-dose chemotherapy with autologous marrow transplantation for (Kessinger) 337 (Therapy)
no one should die of (Ackerman), 115 (Editorial)

transformation, possible relation of metamorphosis of dermal cylindroma to (Urbanski et al), 188

Marketplace, medicine and (Dobson), 1099 (Editorial)

Marrow transplantation, autologous, for malignant melanoma, high-dose chemotherapy with (Kessinger), 337 (Therapy)

Medicine and marketplace (Dobson), 1099 (Editorial)

Medium, simplified fixative, for direct immunofluorescence in skin biopsies (Niedecken and Lange), 828

Megaloblastic anemia, hyperpigmentation in (Marks et al), 914

Melanocytic nevi, congenital, estrogen and progesterone receptors in (Ellis et al), 235

Melanoma, gigantic malignant, in thermal burn scar (Goldberg et al), 949
malignant, biopsy and survival of (Rampen and van der Esch), 385 (Commentary)
death from (Sarma), 895 (Correspondence)

Melanoma—cont'd
high-dose chemotherapy with autologous marrow transplantation for (Kessinger), 337 (Therapy)
no one should die of (Ackerman), 115 (Editorial)
non-skin cancer, psoriasis and susceptibility to (Stern et al), 67

Meralgia paresthetica, alopecia in (Aranoff et al), 176

Mercury granuloma, cutaneous (Lupton et al), 296
hypersensitivity to, from dental amalgams (Mackert), 877 (Current issues)
response (Fisher), 878 (Current issues)

Merkel cell carcinoma, electron microscopy of, from formalin-fixed tissue (Haneke), 487

Metabolic disorders, therapy (Coskey), 1054

Metallic dysgeusia, report of two cases of oral Crohn's disease in brothers with, and review of literature (Frankel et al), 260

Metamorphosis of dermal cylindroma: possible relation to malignant transformation (Urbanski et al), 188

Metastasis, umbilical, of endometrial carcinoma: case report (Ali and Bauer), 887 (Correspondence)

Metastatic squamous cell carcinoma of skin occurring in lymphomatous lymph node (Mora), 571

Methotrexate-induced liver damage in patients with psoriasis, predictive value of HLA antigen for (Pestana et al), 26

Methoxsalen and ultraviolet A radiation in treatment of chronic cutaneous graft-versus-host reaction (Hymes et al), 30

8-Methoxysoralen plasma profiles, standardizing by using emulsion form (Van Boven et al), 822

Methyl nicotinate-induced vasodilatation in human skin, age and racial differences to? (Guy et al), 1001

Milk, effect of, on absorption of minocycline hydrochloride and tetracycline hydrochloride (Leyden), 308

Minigrafting, autologous, repigmentation of segmental vitiligo by (Behl), 118 (Correspondence)
reply (Falabella), 119 (Correspondence)

Minocycline and amitriptyline in cutaneous hyperpigmentation, synergism of (Basler and Goetz), 577 (Correspondence)
hydrochloride and tetracycline hydrochloride, absorption of (Leyden), 308

and tetracycline, initial use of, in double-blind clinical trial; accurate photographic method for grading acne (Samuelson), 461

Minoxidil, topical, reduces blood pressure (Ranchoff and Bergfeld), 586 (Correspondence)
reply (Vanderveen and Ellis), 587 (Correspondence)

Mohs' surgery, avoidance of osteomyelitis after (Mohs), 726 (Correspondence)
reply (Albom), 727 (Correspondence)
(chemosurgery), dermatofibrosarcoma protuberans resected by (Robinson), 1093 (Dermatologic surgery)

Monoclonal antibodies and cutaneous T cell lymphoma (McFillan), 102 (Clinical review)

Monozygotic twins, pemphigus vulgaris in only one of two (Ruocco et al), 587 (Correspondence)

Morphea, lichen sclerosus, and lichen planus, coexistence of (Connelly and Winkelmann), 844

Morphology of cellular infiltrate in delayed pressure urticaria (Czarnetzki et al), 253

Muir-Torre syndrome, familial, oral isotretinoin therapy for (Spielvogel et al), 475

Mycosis fungoides, regional blood flow and (Zackheim et al), 578
 (Correspondence)
 reply (Everett), 580 (Correspondence)

and Sézary syndrome classified as cutaneous T cell lymphoma, human leukocyte antigens in (Rosen et al), 531

T cell nature of; monoclonal antibodies and cutaneous T cell lymphoma (McMillan), 102 (Clinical review)
 treated with cyclosporine, remission in skin infiltrate of patient with (Maddox et al), 952

Myelomonocytic leukemia, chronic, specific cutaneous involvement in course of, simultaneously with blastic leukemic transformation (Pozo-Román et al), 943

Myofibroblasts in collagen nevus detected by electron microscopy (Shelley et al), 917

Myopathy one of manifestations of partial lipodystrophy (Afifi et al), 198

N

Necrotic migratory erythema considered paraneoplastic dermatosis; glucagonoma syndrome (Vandersteen and Scheithauer), 1032

Neonatal lupus erythematosus, multiple thromboses, and monoarthritis in family with Ro antibody (Lin et al), 1022

Neoplasms, multiple benign sebaceous, in cases of familial Muir-Torre syndrome (Spielvogel et al), 475

Neoplastic and inflammatory skin diseases, heterogeneity of dermal OKT6+ cells in (Berti et al), 507

Neurologic examination, normal results of, in episodic hyperhidrosis on dorsum of hands (Chan et al), 937

involvement in patients with cerebral cysticercosis (Falanga and Kapoor), 304

Nevus(i), collagen, detected by electron microscopy, myofibroblasts in (Shelley et al), 917

comedonics of palm and wrist (Harper and Spielvogel), 185

congenital melanocytic, estrogen and progesterone receptors in (Ellis et al), 235

familial Becker's (Fretzin and Whitney), 589 (Correspondence)

nevocytic, relationship of, to sun exposure in dysplastic nevus syndrome (Kopf et al), 656

of Ota-like; macules, acquired, bilateral (Hidano), 368 (Correspondence)
 reply (Hori), 369 (Correspondence)

New England, coastal pulling boat hands unique dermatosis from (Toback et al), 649

Nipple, papillary adenoma of: analysis of fifteen new cases (Brownstein et al), 707 (Dermatopathology)

Nodular hidradenoma and hidradenocarcinoma (Hernández-Perez and Cestoni-Parducci), 15

lymphoid disease of head and neck: lymphocytoma cutis, benign lymphocytic infiltrate of Jessner, and their distinction from malignant lymphoma (Van Hale and Winkelmann), 455

Nodules, subcutaneous, diagnostic value of, in cerebral cysticercosis (Falanga and Kapoor), 304

North America, acrokeratoelastoidosis of Costa in (Korc et al), 832

Nuts, cashew, dermatitis from (Behl), 117 (Correspondence)

O

Occlusive wound dressings to prevent bacterial invasion and wound infection (Mertz et al), 662

Ofuji's disease: high circulating titers of IgG and IgM directed to basal cell cytoplasm (Nunzi et al), 268

OKT6+ cells, dermal, heterogeneity of, in inflammatory and neoplastic skin diseases (Berti et al), 507

O'Leary, Paul A.; giants in dermatology (Callaway), 146 (Special article)

Onycholysis of fingernails: evaluation and management (Kechijian), 552 (Clinical review)

Open heart surgery and gynecologic procedures, postoperative (pressure) alopecia after (Wiles and Hansen), 195

Osteomyelitis, avoidance of, after Mohs' surgery (Mohs), 726 (Correspondence)
 reply (Albom), 727 (Correspondence)

chronic recurrent multifocal, association of pustulosis palmaris et plantaris with (Paller et al), 927

Ota, nevus of, -like macules, acquired, bilateral (Hidano), 368 (Correspondence)
 reply (Hori), 369 (Correspondence)

P

Palms and soles, keratoderma of; epidermolysis bullosa simplex (Haber et al), 1040

Pancreatic glucagonoma in necrotic migratory erythema; glucagonoma syndrome (Vandersteen and Scheithauer), 1032

Panniculitis, eosinophilic (Burket and Burket), 161
 fatal (Aronson et al), 535 (Clinical review)

Papillary adenoma of nipple: analysis of fifteen new cases (Brownstein et al), 707 (Dermatopathology)

Papillomatosis, florid; papillary adenoma of nipple (Brownstein et al), 707 (Dermatopathology)

Poplar acrodermatitis of childhood; Gianotti-Crosti syndrome (Lee et al), 629

urticaria and immune complexes (Alexander), 374 (Correspondence)
 reply (Heng), 374 (Correspondence)

Papules, fibrous, and angiomas, α_1 -antitrypsin and lysozyme in (Kwan et al), 99 (Dermatopathology)

Papulonecrotic tuberculid of glans penis (Israilewicz et al), 1104 (Correspondence)

Papulosquamous diseases: review (Fox and Odom), 597
 eruptions, therapy (Coskey), 1054

Parapsoriasis; papulosquamous diseases (Fox and Odom), 597

Parasites histologically identified and cultured from skin lesion and lymph node in patient with leishmaniasis (Berger et al), 993

Pediatric Dermatology, Society for, Ninth Annual Meeting, Lake Tahoe, NV, 1115

Pediculosis capitis, "pediculid" unusual id reaction to (Brenner), 125 (Correspondence)

Pemphigus, clinical correlations of antibodies in, studied by radioimmunoassay (Ahmed et al), 45

cytotoxic drugs lifesaving for patients with (McDonald), 753, 965

erythematous, primary biliary cirrhosis, and D-penicillamine: report of case (Gibson and Dicken), 883 (Correspondence)

foliaceus, alopecia areata and (Rosin), 895 (Correspondence)

vulgaris in only one of two monozygotic twins (Ruocco et al), 587 (Correspondence)

Perfume dermatitis (Larsen), 1

Periodic synopsis, 359, 716

Perleche, collagen implant in management of (angular cheilosis) (Chernosky), 493

Phaeohyphomycotic cyst of skin caused by *Exophiala jeanselmei* (Zackheim et al), 207

Phenytoin hypersensitivity reaction presenting with toxic epidermal necrolysis and severe hepatitis (Sherertz et al), 178

Photochemotherapy for psoriasis, appearance of disseminated superficial actinic porokeratosis associated with (Hazen et al), 1077 (Adverse reactions)

topical, for alopecia areata (Mitchell and Douglass), 644

Photodermatitis seen as reaction to fragrance materials; perfume dermatitis (Larsen), 1

Photographic method, accurate, for grading acne: initial use in double-blind clinical comparison of minocycline and tetracycline (Samuelson), 461

Photosensitive livedo reticularis-like eruption, quinidine-induced (Bruce and Wolf), 332

Photosensitivity, piroxicam-induced (Weigand), 373 (Correspondence)
reply (Serrano), 373 (Correspondence)
studies and isotretinoin therapy (Difley et al), 119 (Correspondence)

Phototherapy for bilirubinemia, gray-brown discoloration while receiving; bronze baby syndrome (Ashley et al), 325
natural selective ultraviolet; psoriasis treatment at Dead Sea (Abels and Kattan-Byron), 639

P(h)thirus pubis and lindane resistance (Parish), 889 (Correspondence)
reply (Feingold and Taplin), 889 (Correspondence)

PIBIDS: Tay's syndrome and xeroderma pigmentosum (Van Neste et al), 372 (Correspondence)

Pigmentation, periodic synopsis on (Nordlund et al), 359 (Periodic synopsis)

Pili canaliculi and twisted and beaded hairs; acquired progressive kinking of hair (Rebora and Guerrera), 933
torti in association with citrullinemia (Patel and Unis), 203

Pinkus, lichenoid tissue reaction in prurigo pigmentosa proposed by (Shimizu et al), 165

Piroxicam-induced photosensitivity (Weigand), 373 (Correspondence)
reply (Serrano), 373 (Correspondence)

Pityriasis rosea; papulosquamous diseases (Fox and Odom), 597
rubra pilaris; papulosquamous diseases (Fox and Odom), 597
versicolor in Zambia, econazole 1% in treatment of (Hira et al), 580 (Correspondence)

Pityrosporum folliculitis: common disease of young and middle-aged (Bäck et al), 56
orbiculare, hyperpigmentation in lesions of tinea versicolor reported to be result of effects of, on melanosome formation and distribution (Dotz et al), 37
quantitative variations in number of, in *Pityrosporum folliculitis* (Bäck et al), 56

Plantar fibromatosis responds to intralesional steroids (Pentland and Anderson), 212

Plaque-induced erythroderma (Slagel and James), 857 (Adverse reactions)

Plasma chemoattractant, increased, in Sweet's syndrome (Kaplan et al), 1013
profiles, 8-methoxysoralen, standardizing by using emulsion form (Van Boven et al), 822

Podophyllum resin and podophyllin (Dolezal), 728 (Correspondence)
reply (Gruber), 730 (Correspondence)

POEMS syndrome, cutaneous angiomas in (Puig et al), 961

Polymer dressings, synthetic, role of collagen matrix implants and; dermal wound repair (Leipziger et al), 409

Porokeratosis, disseminated superficial actinic: appearance associated with photochemotherapy for psoriasis (Hazen et al), 1077 (Adverse reactions)

Postirradiation angiosarcoma (Goette and Detlefs), 922

Pregnancy, lymphedema of lower abdominal wall in (Reed et al), 930
vascular lesions in: hypothesis (Rampen and Hulsmans), 371 (Correspondence)
reply (Wong and Ellis), 372 (Correspondence)

Procainamide-induced systemic lupus erythematosus-like syndrome and its clinical presentations, antinuclear antibodies as indicators for (Gorsulowsky et al), 245

Progesterone and estrogen receptors in congenital melanocytic nevi (Ellis et al), 235

Propylene glycol in water for treatment of *Pityrosporum folliculitis* (Bäck et al), 56

Prurigo pigmentosa (Shimizu et al), 165

Pruritus and urticarial lesions, comparison of clearing with doxepin and diphenhydramine (Greene et al), 669

Pseudomonic acid, new antibiotic for topical therapy (Wuite et al), 1026

Psoralens and ultraviolet A (PUVA); topical photochemotherapy for alopecia areata (Mitchell and Douglass), 644

Psoriasis, appearance of disseminated superficial actinic porokeratosis associated with photochemotherapy for (Hazen et al), 1077 (Adverse reactions)
cytotoxic drugs offering improved quality of life for patients with (McDonald), 753, 965
defective cytoplasmic transport of cell surface carbohydrates in (Amornsiripanitch), 1111 (Correspondence)
reply (Schaumburg-Lever), 1111 (Correspondence)

disease of total skin (Farber et al), 150 (Commentary)
factors influencing (Farber), 131 (Correspondence)
group therapy of (Schulte et al), 61
papulosquamous diseases (Fox and Odom), 597
pustular, short-term etretinate for (Rubin and Hanno), 896 (Correspondence)
and susceptibility to nonmelanoma skin cancer (Stern et al), 67

treatment center, ambulatory, role of, as cost-effective program for severe psoriasis (Bohm and Voorhees), 740 (Special report)
at Dead Sea: natural selective ultraviolet phototherapy (Abels and Kattan-Byron), 639
with suberythemogenic ultraviolet B radiation and a coal tar extract (Menkes et al), 21

Psychosis, toxic: complication of antimalarial therapy (Ward et al), 863 (Adverse reactions)

Pulling boat hands: unique dermatosis from coastal New England (Toback et al), 649

Pustular psoriasis, short-term etretinate for (Rubin and Hanno), 896 (Correspondence)

Pustulosis, Ofuji's eosinophilic, and peculiar immunofluorescence, patient with; Ofuji's disease (Nunzi et al), 268
palmaris et plantaris: association with chronic recurrent multifocal osteomyelitis (Paller et al), 927

PUVA, biologic effectiveness of black light fluorescent lamps for (Fleming and Brody), 894 (Correspondence)
reply (Forbes et al), 894 (Correspondence)
for psoriasis, appearance of disseminated superficial actinic porokeratosis associated with (Hazen et al), 1077 (Adverse reactions)

Q

Quinidine-induced photosensitive livedo reticularis-like eruption (Bruce and Wolf), 332

R

Racial and age differences to methyl nicotinate-induced vasodilation in human skin (Guy et al), 1001
Radiation, methoxsalen and ultraviolet A, for treatment of chronic cutaneous graft-versus-host reaction (Hymes et al), 30
ultraviolet, major factor in pathogenesis of basal cell carcinoma (Zaynoun et al), 522
Radioimmunoassay, clinical correlations of antibodies in pemphigus studied by (Ahmed et al), 45
Radiotherapy for squamous cell carcinoma of cervix uteri; cutaneous angiosarcoma of lower abdomen in site where received (Goette and Detlefs), 922

Raynaud's phenomenon in patients with chronic cutaneous (discoid) lupus erythematosus (Callen), 278
pulling boat hands (Toback et al), 649

Reaction(s), cutaneous graft-versus-host; prognostic features seen by light microscopy (Hymes et al), 468
to nonsteroidal anti-inflammatory drugs (Bigby and Stern), 866 (Adverse reactions)

secondary to heparin injections (Tuney et al), 1072 (Adverse reactions)

lichenoid tissue, prurigo pigmentosa characterized by, as proposed by Pinkus (Shimizu et al), 165

Reading list for dermatologists, *real* literature (Caplan), 901 (Special article)

Refrigerants, skin, histologic and temperature alterations induced by (Dzubow), 796

Renal abnormality in patients with chronic cutaneous (discoid) lupus erythematosus (Callen), 278

Repigmentation of segmental vitiligo by autologous minigrafting (Behl), 118 (Correspondence)

reply (Falabella), 119 (Correspondence)

Resin, podophyllum, and podophyllin (Dolezal), 728 (Correspondence)

reply (Gruber), 730 (Correspondence)

Restaurant food, sulfited; sulfite update, 881 (Editorial)

Retinoid, oral (etretinate), trimethylpsoralen bath plus ultraviolet A combined with, in treatment of severe psoriasis (Väätänen et al), 52

Reviewers for volumes 11 and 12, 1101

Rubella; TORCH syndrome (Fine and Arndt), 697 (Clinical review)

S

Sarcoidosis, cytotoxic drugs offering improved quality of life for patients with (McDonald), 753, 965

Scabies, eradication of, with single treatment schedule (Behl), 117 (Correspondence)

reply (Taplin), 117 (Correspondence)

subungual (Scher), 577 (Correspondence)

reply (Moberg), 578 (Correspondence)

Sclerosis, progressive systemic, cytotoxic drugs offering improved quality of life for patients with (McDonald), 753, 965
Sebaceous gland hyperplasia, premature: successful treatment with isotretinoin (Burton and Sawchuk), 182

Seborrheic dermatitis, double-blind treatment of, with 2% ketoconazole cream (Skinner et al), 852
papulosquamous diseases (Fox and Odom), 597

Selenium sulfide shampoo for treatment of *Pityrosporum* folliculitis (Bäck et al), 56

Sepsis, hepatic failure, hemorrhage, and thrombosis major causes of death in fatal panniculitis (Aronson et al), 535 (Clinical review)

Septicemia, *Morganella morganii*, hemorrhagic bullae associated with (Bagel and Grossman), 575

Serologic survey for markers of hepatitis B infection in dermatologists (Leyden et al), 676

Sexual abuse, childhood condyloma acuminatum manifestation of (Schachner and Hankin), 157 (Commentary)

Sézary syndrome and mycosis fungoïdes classified as cutaneous T cell lymphoma, human leukocyte antigen in (Rosen et al), 531

monoclonal antibodies and cutaneous T cell lymphoma (McMillan), 102 (Clinical review)

Shave excision, curettage and (Brooks), 1107 (Correspondence)
reply (Spiller and Spiller), 1108 (Correspondence)

Silver sulfadiazine cream, hyperpigmentation due to topical application of (Dupuis et al), 1112 (Correspondence)

Sinopulmonary infections, recurrent, in ataxia-telangiectasia or Louis-Bar syndrome (Smith and Conery), 681 (Clinical review)

Skin cancer detection clinics (Biro et al), 375 (Correspondence)
reply (Weary), 376 (Correspondence)

nonmelanoma, psoriasis and susceptibility to (Stern et al), 67

treatment of (Knox), 589 (Correspondence)
reply (Spiller and Spiller), 589 (Correspondence)

human, chronic cutaneous ulcerations and impaired healing in (Krull), 394

hyperpigmented, light and electron microscopic study of; tinea versicolor (Dotz et al), 37

refrigerants, histologic and temperature alterations induced by (Dzubow), 796

total, psoriasis disease of (Farber et al), 150 (Commentary)

tumors, benign adnexal, histologic diagnosis of (Brown and Ariano), 350 (Dermatopathology)

Solar elastosis and sun exposure, relationship of, to basal cell carcinoma (Zaynoun et al), 522

Soles, palms and, keratoderma of; epidermolysis bullosa simplex (Haber et al), 1040

Sporotrichosis, fixed cutaneous; unusual histopathology following intralesional corticosteroid administration (Bickley et al), 1007

Squamous cell carcinoma of cervix uteri, radiotherapy for; cutaneous angiosarcoma of lower abdomen in site where received (Goette and Detlefs), 922

hypopharyngeal, metastatic to skin (Schultz and Schwartz), 169

metastatic, of skin occurring in lymphomatous lymph node (Mora), 571

of tongue, xeroderma pigmentosum and (Wade and Plotnick), 515

Stasis leg ulcers, management of, with Unna's boots versus elastic support stockings (Hendricks and Swallow), 90
Sterilization, cold (tray), of hepatitis B virus (Voron), 718 (Correspondence)
 reply (Sebben), 718 (Correspondence)
Steroidal, non-, anti-inflammatory drugs, cutaneous reactions to (Bigby and Stern), 866 (Adverse reactions)
Stockings, elastic support, versus Unna's boots, management of stasis leg ulcers with (Hendricks and Swallow), 90
Stokes, John Hinchman; giants in dermatology (Callaway), 145 (Special article)
Subungual scabies (Scher), 577 (Correspondence)
 reply (Moberg), 578 (Correspondence)
Sulfite update, 881 (Editorial)
Sun exposure in dysplastic nevus syndrome, relationship ofnevocytic nevi to (Kopf et al), 656
 and solar elastosis, relationship of, to basal cell carcinoma (Zaynoun et al), 522
Sunlight, naturally filtered ultraviolet spectrum of; psoriasis treatment at Dead Sea (Abels and Kattan-Byron), 639
Support stockings, elastic, versus Unna's boots, management of stasis leg ulcers with (Hendricks and Swallow), 90
Sutton and Sutton's periadenitis mucosa necrotica recurrens, thalidomide treatment of; significant response of oral aphthosis to (Grinspan), 85
Sweet's syndrome, increased plasma chemoattractant in (Kaplan et al), 1013
Syphilis, first known great epidemic of; Syphilis (Glickman), 593 (Commentary)
 history of origin of term; Syphilis (Glickman), 593 (Commentary)
 secondary, presenting as palisading granuloma (Green and Heilman), 957
Syphilis (Glickman), 593 (Commentary)
Syringadenoma papilliferum, papillary adenoma of nipple compared with (Brownstein et al), 707 (Dermatopathology)
Systemic disease, hirsutism sign of (Kvedar et al), 215
 lupus erythematosus in patients with chronic cutaneous (discoid) lupus erythematosus (Callen), 278

T

T cell lymphoma, cutaneous, monoclonal antibodies and (McMillan), 102 (Clinical review)
 treatment of, with cyclosporin A (Moreland et al), 886 (Correspondence)
Tay's syndrome and xeroderma pigmentosum: PIBIDS (Van Neste et al), 372 (Correspondence)
Tegison; Tegison (etretinate), role of, in management of keratoacanthoma (Cristofolini et al), 633
Temperature and histologic alterations induced by skin refrigerants (Dzubow), 796
Terminal illness (Feldman et al), 366 (Correspondence)
2,3,7,8-Tetrachlorodibenzo-p-dioxin, cutaneous histologic findings in chemical workers with and without chlordan with past exposure to (Moses and Prioleau), 497
Tetracycline hydrochloride and minocycline hydrochloride, absorption of (Leyden), 308
 minocycline and, initial use of, in double-blind clinical trial; accurate photographic method for grading acne (Samuelson), 461
Textile dye dermatitis (Hatch et al), 1079 (Clinical review)

Thalidomide treatment, significant response of oral aphthosis to (Grinspan), 85
Therapy, dermatologic, December 1983 through November 1984 (Coskey), 1045
Thermolysis and electrolysis for permanent hair removal (Wagner et al), 441
Thrombosis, multiple, neonatal lupus erythematosus, and monoarthritis in family with Ro antibody (Lin et al), 1022
 sepsis, hepatic failure, and hemorrhage major causes of death in fatal panniculitis (Aronson et al), 535 (Clinical review)
Tigason; Tegison (etretinate), role of, in management of keratoacanthoma (Cristofolini et al), 633
Tinea versicolor: light and electron microscopic study of hyperpigmented skin (Dotz et al), 37
Tissue culture, regeneration of epidermis by cells grown in (Eisinger), 402
 production of androgens in women with acne (Lookingbill et al), 481
Tongue, squamous cell carcinoma of, and xeroderma pigmentosum (Wade and Plotnick), 515
Topical therapy, pseudomonic acid new antibiotic for (Wuite et al), 1026
TORCH syndrome (Fine and Arndt), 697 (Clinical review)
Toxic epidermal necrolysis and severe hepatitis, phenytoin hypersensitivity reaction presenting with (Sherertz et al), 178
 psychosis: complication of antimalarial therapy (Ward et al), 863 (Adverse reactions)
Toxoplasmosis; TORCH syndrome (Fine and Arndt), 697 (Clinical review)
Transplantation, autologous marrow, for malignant melanoma, high-dose chemotherapy with (Kessinger), 337 (Therapy)
Travel abroad (Strauss), 723 (Correspondence)
Trimethylpsoralen bath plus ultraviolet A combined with oral retinoid (etretinate) in treatment of severe psoriasis (Väätäinen et al), 52
Tuberculid, papulonecrotic, of glans penis (Israelewicz et al), 1104 (Correspondence)
Tumor(s), benign adnexal skin, histologic diagnosis of (Brown and Ariano), 350 (Dermatopathology)
 composed of thick dense and closely packed collagen bundles
 variant of acquired digital fibrokeratoma (Kint et al), 816
islet cell of pancreas; glucagonoma syndrome (Vandersteen and Scheithauer), 1032
therapy (Coskey), 1059
Twins, monozygotic, pemphigus vulgaris in only one of two (Ruocco et al), 587 (Correspondence)
Tyzzer smear technic for diagnosis of varicella (King), 1111 (Correspondence)

U

Ulcerated papules and nodules, cutaneous leishmaniasis considered in differential diagnosis of (Nelson et al), 985
Ulceration(s), chronic cutaneous, and impaired healing in human skin (Krull), 394
 penile, diagnosis of secondary syphilis in man presenting with papular eruption and (Green and Heilman), 957
Ulcers, stasis leg, management of, with Unna's boots versus elastic support stockings (Hendricks and Swallow), 90

Ultraviolet A radiation, methoxsalen and, in treatment of chronic cutaneous graft-versus-host reaction (Hymes et al), 30 sources, high-intensity, used for cosmetic purposes, risks and benefits from (Bickers et al), 380 (Special report)
 trimethylpsoralen bath plus, combined with oral retinoid (etretinate) in treatment of severe psoriasis (Väätäinen et al), 52

B radiation and coal tar extract, suberythemogenic, psoriasis treatment with (Menkes et al), 21

phototherapy, natural selective; psoriasis treatment at Dead Sea (Abels and Kattan-Byron), 639

radiation major factor in pathogenesis of basal cell carcinoma (Zaynoun et al), 522

Unna's boots versus elastic support stockings, management of stasis leg ulcers with (Hendricks and Swallow), 90

Urticaria, chronic, double-blind crossover study comparing doxepin with diphenhydramine for treatment of (Greene et al), 669

contact, seen as reaction to fragrance materials; perfume dermatitis (Larsen), 1

delayed pressure, morphology of cellular infiltrate in (Czarnetzki et al), 253

papular, and immune complexes (Alexander), 374 (Correspondence)
 reply (Heng), 374 (Correspondence)

simplex, response to, in comparison of doxepin and diphenhydramine for treatment of chronic urticaria (Greene et al), 669

therapy (Coskey), 1061

V

Vacuolization of upper epidermal cells in nonbullous congenital ichthyosiform erythroderma (Williams and Elias), 126 (Correspondence)

Vaginal pruritus, burning, and dyspareunia; angiokeratoma vulvae (Novick), 561

Varicella, Tzotzman smear technic for diagnosis of (King), 1111 (Correspondence)

Vascular lesions in pregnancy: hypothesis (Rampen and Huismans), 371 (Correspondence)

reply (Wong and Ellis), 372 (Correspondence)
 Vasculitis, cytotoxic drugs lifesaving for patients with (McDonald), 753, 965
 periodic synopsis on (Logan et al), 716

Vasodilatation, methyl nicotinate-induced, in human skin, age and racial differences to (Guy et al), 1001

Vasospasm in patients with pulling boat hands (Toback et al), 649

Vesiculobullous eruptions, therapy (Coskey), 1062

Viral infection implicated in etiology of cutaneous T cell lymphoma (Rosen et al), 531

Virus, hepatitis B, cold (tray) sterilization of (Voron), 718 (Correspondence)
 reply (Sebben), 718 (Correspondence)

thought to be etiologic agent in Gianotti-Crosti syndrome (Lee et al), 629

Vitiligo, segmental, repigmentation of, by autologous minigrafting (Behl), 118 (Correspondence)
 reply (Falabella), 119 (Correspondence)

Vulval angiokeratomas; angiokeratoma vulvae (Novick), 561

W

Weber-Christian syndrome (relapsing nodular panniculitis); fatal panniculitis (Aronson et al), 535 (Clinical review)

Wile, Udo Julius; giants in dermatology (Callaway), 144 (Special article)

Women with acne, tissue production of androgens in (Lookingbill et al), 481

Wound(s) dressings, occlusive, to prevent bacterial invasion and wound infection (Mertz et al), 662

healing, biosynthetic dressings and (Carter), 393

cutaneous: model for cell-matrix interactions (Woodley et al), 420

in or near eyebrow, use of Burrow's wedge principle for repair of (Gormley), 344 (Dermatologic surgery)

X

Xeroderma pigmentosum and squamous cell carcinoma of tongue (Wade and Plotnick), 515

Tay's syndrome and: PIBIDS (Van Neste et al), 372 (Correspondence)

